

PETROLITE CORPORATION

ACCEPTED

DEC 15 1980

The Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under the FIFRA Act, No. \_\_\_\_\_

# TRETOLITE

DIVISION

SAINT LOUIS, MISSOURI

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER** Contains methanes which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin or clothes. Causes eye damage and skin irritation. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Treatments should not be discharged where it will pollute streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as directed on label.

#### PHYSICAL OR CHEMICAL HAZARDS

**FLAMMABLE** Keep away from heat and flame.

**DANGER**



**POISON**

## X-CIDE® 370 Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE

#### ACTIVE INGREDIENTS

Oxyethylene glycol 50.0  
Alkyl dimethyl ammonium chloride 50.0

#### INERT INGREDIENTS

Alkyl dimethyl ammonium chloride 50.0  
Water 50.0

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

SEE SIDE COLUMNS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 100-100000  
EPA EST. NO. 50-100000-100000

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**RECOMMENDED USE CONCENTRATION: 30-500 PPM OF X-CIDE AS NEEDED. SEE DATA SHEET.**

#### STORAGE AND DISPOSAL

Do not reuse empty drum. Triple rinse and return to job or recondition or destroy by perforating or crushing and bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid vomiting. Call a physician immediately.

#### NOTE TO PHYSICIAN

Heart and lung damage may contraindicate the use of certain drugs. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

55 U.S. GAL. AT 60 F

GROSS WT