

TRETOLITE

DIVISION
SAINT LOUIS, MISSOURI

DANGER



POISON

DANGER

KEEP
OUT OF
REACH
OF
CHILDREN

X-CIDE® 401 Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE. SEE DATA SHEET. RECOMMENDED USE CONCENTRATION: 30-500 PPM OF X-CIDE, AS NEEDED.

EPA REG. NO. 5009-14

ACTIVE INGREDIENTS

| Methano | l | | 20.00% |
|-------------------------------|-------------------|-----|--------|
| 2,4,5-Tric | chlorophenol | | 20.00% |
| | cid | | |
| N-Alkyl*- | 1,3-propylenediam | ine | 15.00% |
| Alkyi | octyl | 8% | |
| • | decyl | | • |
| | dodécyl | 47% | |
| | tetradecyl | | |
| | hexadecyl | | |
| | octadecyl | | |
| | octadecenyl | | |
| Oxyethylated ter-butyl phenol | | | 0.50% |
| INERT | INGREDIENT | • | |
| Water . | | | 36.80% |

DANGER — Contains methanol, which may cause thindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Avoid contact with skin. Corrosive. Causes eye damage and skin irritation. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

FIRST AID — In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

This product is toxic to fish and birds. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not use, pour, spill or store near heat or open flame.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

GROSS WT.

55 U.S. GAL. AT 60° F

100.00%

ACCEPTED

FEB 0 8 1974

UNDER THE TEDERAL INSECTICIDE FUNCICIDE AND RODENTICIDE ACT