

PETROLITE
CORPORATION

TRETOLITE

DIVISION

SAINT LOUIS, MISSOURI

5009-15

DANGER



POISON

DANGER
KEEP
OUT OF
REACH
OF
CHILDREN

X-CIDE® 402 Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE. SEE DATA SHEET.
RECOMMENDED USE CONCENTRATION: 30-500 PPM OF X-CIDE, AS NEEDED.

EPA REG. NO. 5009-15

ACTIVE INGREDIENTS

Oxydiethylene bis (alkyl dimethyl Ammonium chloride)	17.8%
*Alkyl-1,3-propylenediamine Acetate	28.5%
*Alkyl=	
octyl	8%
decyl	9%
dodecyl	47%
tetradecyl	18%
hexadecyl	8%
octadecyl	5%
octadecenyl	5%
Isopropanol	11.5%
Methanol	16.4%
INERT INGREDIENTS	
Water	25.8%
	<hr/> 100.0%

DANGER — Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Avoid contact with skin. Corrosive. Causes eye damage and skin irritation. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

FIRST AID — In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Do not reuse empty drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place.

Do not use, pour, spill or store near heat or open flame.

This product is toxic to fish and birds. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

55 U.S. GAL. AT 60° F.

GROSS WT.