

TRETOLITE

DIVISION

SAINT LOUIS, MISSOURI

FEB 13 1984

X-CIDE® 402 Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE

ACTIVE INGREDIENTS

Oxydiethylene bis (Alkyl dimethyl ammonium chloride)	17.8%
Alkyl propylenediamine Acetate	28.5%

INERT INGREDIENTS

Total	53.7%
	100.0%

*As derived from coconut oil fatty acids.

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE LEFT COLUMN FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO 5009-15

EPA EST. NO 5009-MO-1, CA-1, TX 1

DIRECTIONS FOR USE: GENERAL CLASSIFICATION
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

RECOMMENDED USE CONCENTRATION 30-500 PPM OF X-CIDE. AS NEEDED. SEE DATA SHEET

STORAGE AND DISPOSAL

STORAGE Do not use, pour, spill or store near heat or open flame

DISPOSAL Do not reuse empty drum. Triple rinse and return to drum reconditioner or destroy by perforating or crushing and bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed

55 U.S. GAL. AT 60°F.

GROSS WT.