

PETROLITE
CORPORATION

TRETOLITE

DIVISION

SAINT LOUIS, MISSOURI

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapor. Do not get in eyes. Corrosive. Causes eye damage and skin irritation. Do not get on eyes, nose or throat. Wear goggles, suit, gloves and rubber boots when handling. Avoid contact with food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Keep away from heat and flame.

X-CIDE® 102 Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS

Glutaraldehyde

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE COLUMNS FOR ADDITIONAL PRECAUTIONARY STATEMENTS
EPA REG. NO. 500-102
EPA EST. NO. 500-1 MO 1 (CA) TX

DIRECTIONS FOR USE

This is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RECOMMENDED USE CONCENTRATION: 200-400 PPM
OR AS NEEDED. SEE DATA SHEET.

STORAGE AND DISPOSAL

Empty drum: Empty drum: Triple rinse and return to drum. Do not reuse or destroy by perforating, incinerating and burning. Dispose of in accordance with federal, state or local disposal authorities for approved alternative procedures.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If in eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink plenty of water. If inhaled, get fresh air. If in large quantities, call a physician immediately.

NOTICE TO PHYSICIAN

Respiratory distress or irritation may occur after the use of this product. Medical attention should be sought if respiratory distress or irritation occurs.

NET 5 GAL AT 60°F

GROSS WT