

PETROLITE
CORPORATION

TRETOL

DIVISION

SAINT LOUIS, MISSOURI

X-CIDE 102 Industrial Bact

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR HOME USE.
FOR INFORMATION ON TREATMENT RECOMMENDATION

DANGER

SEE INSTRUCTIONS

PETROLITE
CORPORATION

TRETOL

DIVISION
SAINT LOUIS, MISSOURI

DANGER



POISON

**DANGER
KEEP
OUT OF
REACH
OF
CHILDREN**

X-CIDE® 102 Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE. SEE DATA SHEET
FOR INFORMATION ON TREATMENT RECOMMENDATIONS.

ACTIVE INGREDIENTS:

Glutaraldehyde	25.0%
----------------	-------

INERT INGREDIENTS

Water	75.0%
	100.0%

DANGER — Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

FIRST AID — In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.


Do not reuse
recondition
crushing air
from water

Treated effluents
where it is
ponds, or
nate water
disposal of
as specified

55 U.S. GAL. AT 60° F.

TRETOLITE

DIVISION
SAINT LOUIS, MISSOURI



E[®] 102 Industrial Bactericide

PROCESSES ONLY. NOT FOR DOMESTIC USE. SEE DATA SHEET
TREATMENT RECOMMENDATIONS.

EPA REG. NO. 5009-19

DANGER — Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

FIRST AID — In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink **promptly** a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

L. AT 60° F.

GROSS WT.