

PH3: TOUT

PRECAUTIONARY STATEMENTS

. i - i

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE-Keep away from heat and flame.

STATEMENT OF PRACTICAL TREATMENT.

In case of contact, Immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, cal' a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol, Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

X-CIDE[®] 102 Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS:	
Glutaraldehyde	25.0%
INERT INGREDIENTS:	75.0%
	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG, NO. 5009-19

EPA EST. NO. 5009-MO-1; CA-1; TX-1

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

X-CIDE 102 is especially recommended for controlling sulfate reducing bacteria in water to be used for polymer treated waterflood programs. X-CIDE 102 does not interfere with the viscosity characteristics of the polymer agent.

X-CIDE 102 may be applied in systems used to treat injection water immediately ahead of water deoiling equipment such as an air flotation unit in the clear water holding tank, or at the suction side of the injection pump.

X-CIDE 102 should be used full strength in concentrations of 30 ppm of X-CIDE 102 on a continuous basis or in slug applications to 5000 ppm of X-CIDE 102 or higher concentrations as needed (1/4 pint per 1000 gallons equals approximately 30 ppm). A typical slug application is one quart per 1000 gallons.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Posticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

55 U.S. GAL, AT 60°F.

GROSS WT.

