

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Contains methanol. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE—Keep away from heat and flame.

0011

1111

X-CIDE® 507

TO CONTROL ALGAE AND BACTERIAL SLIMES


FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS

Didecyl dimethyl ammonium chloride 100.0%

INERT INGREDIENTS

Total 100.0%



KEEP OUT OF REACH OF CHILDREN

DANGER

SEE LEFT COLUMN FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO 509-20

EPA REG. NO 509-MO-1, CA-1, TX-1

DIRECTIONS FOR USE. GENERAL CLASSIFICATION
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RECOMMENDED USE CONCENTRATION: SEE DATA SHEET.

STORAGE AND DISPOSAL

STORAGE: Do not use, pour, spill or store near heat or open flame.

DISPOSAL: Do not reuse empty drum. Triple rinse and return to drum conditioner or destroy by perforating or crushing and bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

55 U.S. GAL. AT 60°F.

GROSS WT.