

# PETROLITE

**BEST AVAILABLE COPY**

PETROLITE CORPORATION

 NOTIFICATION  
 LABEL NOT REVIEWED  
 PER PR NOTICE 88-6

DATE APR 6 1990

# TRETOLITE<sup>®</sup>

## CHEMICALS & SERVICES

### PETROLITE OIL FIELD CHEMICALS GROUP

369 Marshall Avenue

St. Louis, MO 63119

Trademark of Petrolite Corporation

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER** Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray, mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

##### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your Regional Office of the EPA.

##### PHYSICAL OR CHEMICAL HAZARDS

**FLAMMABLE**—Keep away from heat and flame.

**DANGER**

**POISON**

## X-CIDE<sup>®</sup> 107W

### Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE.

#### ACTIVE INGREDIENTS

Glutaraldehyde	20.0%
Oxydiethylene bis-(alkyl*dimethyl ammonium chloride)	50.0%

#### INERT INGREDIENTS

	75.0%
	100.0%

\*alkyl distribution as derived from coconut fatty acids.

**KEEP OUT OF REACH OF CHILDREN**
**DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5009-29

EPA EST. NO. 5009-MO-1, CA-1, TX-1

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For use with closed delivery systems only.

##### OILFIELD AND PETROCHEMICAL SYSTEMS

TREATMENT X-CIDE 107W can be used either in slug treatment or in continuous application. Dosages may vary from 500 ppm of X-CIDE 107W in slug application to 20 ppm of X-CIDE 107W in continuous treatment. For slug treatments, add up to 500 ppm of X-CIDE 107W at intervals to the water system to establish control and to prevent regrowth of bacterial slime. This method is particularly suitable to control of bacteria in storage tank bottom sediments. For continuous treatment, inject 20 to 200 ppm of X-CIDE 107W at a point where good mixing is assured. Technical advice concerning specific site problems and treatment levels can be obtained from your Tretolite Sales Engineer.

#### STORAGE AND DISPOSAL

**STORAGE** Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

**PESTICIDE DISPOSAL** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

55 U.S. GAL. AT 60°F

**GROSS WT**