

744 509-34 724

105-7-91

# PETROLITE

PETROLITE CORPORATION

**ACCEPTED**  
OCT 08 1991  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under 5009-34 EPA Reg. No.

# TRETOLITE®

## CHEMICALS & SERVICES

### PETROLITE OIL FIELD CHEMICALS GROUP

369 Marshall Avenue

St. Louis, MO 63119

Trademark of Petrolite Corporation

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

##### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your Regional Office of the EPA.

##### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

##### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

# X-CIDE® 105

## Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE.

#### ACTIVE INGREDIENTS:

Glutaraldehyde ..... 50.0%

#### INERT INGREDIENTS:

..... 50.0%  
..... 100.0%



**DANGER**

**POISON**

**KEEP OUT OF REACH OF CHILDREN**

# DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5009-34  
EPA EST. NO. 5009-MO-1; CA-1; TX-1

#### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

X-CIDE 105 will control bacteria found in waters associated with petroleum production. It will control bacteria in water which collects in tank bottoms, in water for water flooding operations, in water disposal systems, gas transmission and completion of fluids.

X-CIDE 105 may be applied in systems used to treat injection water immediately ahead of water deaerating equipment, in the clear water holding tank, or at the suction side of the injection pump.

X-CIDE 105 should be used full strength in concentrations of 15 ppm of X-CIDE 105 on a continuous basis or in slug applications to 2500 ppm of X-CIDE 105 or higher concentrations as needed (1/8 pint per 1000 gallons equals approximately 15 ppm). A typical slug application is 1/2 pint per 1000 gallons.

#### STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

55 U.S. GAL. AT 60°F.

GROSS WT.