

PETROLITE

ACCEPTED

APR 04 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5009-41

PETROLITE<sup>®</sup>  
CHEMICALS & SERVICES

PETROLITE OIL FIELD CHEMICALS GROUP

369 Marshall Avenue

St. Louis, MO 63119

PETROLITE CORPORATION

Trademark of Petrolite Corporation

302-2-89

5009-41

04/04/1989

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE—Keep away from heat and flame.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

X-CIDE<sup>®</sup> 302  
Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE.

ACTIVE INGREDIENTS:

Alkyl\*1,3 propylene diamine acetate . . . . . 21.20%

INERT INGREDIENTS: . . . . . 78.80%

100.00%

\*Alkyl as derived from coconut oil fatty acids.

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5009-41

EPA EST. NO. 5009-MO-1; CA-1; TX-1

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

X-CIDE 302 may be used either in slug treatments or in continuous application. Dosages may vary from 1000 ppm of X-CIDE 302 in slug application to 50-100 ppm of X-CIDE 302 in continuous treatment. (1½ pint per 1000 gallons equals approximately 60 ppm). A typical slug treatment is to add 240 ppm of X-CIDE 302 (2 pints per 1000 gallons of water) at intervals as needed to prevent growth of bacterial slime. Badly fouled systems may be slug treated to establish control, following by continuous treatment of 50-100 ppm to maintain control.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

55 U.S. GAL. AT 60°F.

GROSS WT.

111