

12-83

**PETROLITE
CORPORATION**

TRETOLITE

MAR 04 1985

SAINT LOUIS, MISSOURI 63119

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE—Keep away from heat and flame.

DANGER



POISON

X-CIDE 233

INDUSTRIAL MICROBIOCIDES

FOR USE IN INDUSTRIAL PROCESSES ONLY NOT FOR DOMESTIC USE

ACTIVE INGREDIENTS

5-Chloro-2-methyl-4-isothiazolin-3-one 0.38%

2-Methyl-4-isothiazolin-3-one 0.12%

Formaldehyde 31.56%

INERT INGREDIENTS 67.94%

Total 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE COLUMNS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5009

EPA EST. NO. 5009-MO-1, CA-1, TX-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
RECOMMENDED USE CONCENTRATION: 30-5000 PPM OF X-CIDE. AS NEEDED. SEE DATA SHEET

STORAGE AND DISPOSAL

Do not reuse empty drum. Triple rinse and return to drum reconditioner or destroy by perforating or crushing and bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

55 U.S. GAL AT 60°F.

GROSS WT.



TRETOLITE DIVISION

**X-CIDE 233
INDUSTRIAL MICROBIOCIDE**

PAGE THREE

EPA Registration Number: 5009-

"The information contained in this technical bulletin is, to the best of our knowledge, true and accurate, but Petrolite Corporation disclaims any liability with respect to any recommendations or suggestions made in connection therewith. There are no warranties which extend beyond the description on the face hereof."

ACCEPTED
with COMMENTS
in EPA REG. 1953
MAR 04 1953
5009-42

