

# PETROLITE

ACCEPTED

APR 04 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5009-43

**PETROLITE CORPORATION**

# TRETOLITE

## CHEMICALS & SERVICES

**PETROLITE OIL FIELD CHEMICALS GROUP**

369 Marshall Avenue

St. Louis, MO 63119

Trade mark of Petrolite Corporation

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER** Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your Regional Office of the EPA.

#### PHYSICAL OR CHEMICAL HAZARDS

**FLAMMABLE**—Keep away from heat and flame.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures cannot be taken to remove the product from the body.

## X-CIDE® 137

### Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE

#### ACTIVE INGREDIENT:

Formaldehyde ..... 37.0%

#### INERT INGREDIENTS:

..... 63.0%  
100.0%

**DANGER****POISON****KEEP OUT OF REACH OF CHILDREN****DANGER**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
EPA REG. NO. 5009-43

### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in inconsistent with its labeling.

X-CIDE 137 industrial bactericide may be applied in system to treat injection water immediately ahead of water treatment such as the dissolved air flotation unit, in the holding tank, or at the suction side of the injection pump. X-CIDE 137 should be used full strength in concentration of 5000 ppm of active on a continuous basis or in slug application.

### STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.  
**PESTICIDE DISPOSAL:** Pesticide wastes are acutely toxic. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by other means, contact your State Pesticide Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then recycle for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by local authorities.