

PETROLITE

BEST AVAILABLE COPY

PETROLITE CORPORATION

DATE

APR 3 1988

NOTIFICATION
LABEL NOT RECEIVED
PER FR NOTICE 88-6

TRETOLITE[®]
CHEMICALS & SERVICES

PETROLITE OIL FIELD CHEMICALS GROUP

369 Marshall Avenue

St. Louis, MO 63119

Trademark of Petrolite Corporation

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER: Contains methanol, which may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing spray mist or vapors. Do not get on skin. Corrosive. Causes eye damage and skin irritations. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the appropriate NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE—Keep away from heat and flame

STATEMENT OF PRACTICAL TREATMENT

In case of contact: Immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

X-CIDE[®] 137W
Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY, NOT FOR DOMESTIC USE

ACTIVE INGREDIENT:

Formaldehyde 37.0%

INERT INGREDIENTS:

63.0%

100.0%

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5009-43
EPA EST. NO. 35982-TX-1

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

X-CIDE 137W industrial bactericide may be applied in system used to treat injection water immediately ahead of water deaeration equipment such as the dissolved air flotation unit, in the clarifier water holding tank, or at the suction side of the injection pump.

X-CIDE 137W should be used full strength in concentrations of 2 to 5000 ppm of active on a continuous basis or in slug application.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess biocide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then on for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by other procedures approved by state or local authorities.

55 U.S. GAL. AT 60°F.

GROSS