

A GH-18

No. 5011-60

side formulation for use
ntals and to be applied
Fog applicator only.

dichloroethyl	10%
llate	45%
	<u>45%</u>
		100%

CARMEL

ETHICAL

NING

ACH OF CHILDREN

for additional cautions.

CHEMICALS

PREPARED BY



FIELD OPERATIONS

No. Content

DURATION OF EXPOSURE:

Length of exposure time is 1½ hours with ventilators and doors closed. After this exposure time, the house should be well ventilated—at least 1 hour—before re-entering.

FOG APPLICATOR NOTICE

Flush the insecticide tank of the Carmel Fog Applicator immediately after each use otherwise residue from the formulation may remain in the tank and insecticide system and block the system completely causing reduced fog output and poor insect control. Flushing immediately after using is a complete answer to this problem.

TO FLUSH:

1. Drain insecticide tank. (To avoid draining tank after fogging, pour in only required amount of insecticide and use it all in the fogging operation)
2. Pour at least 8 ounces of Carmel Flushing Solution (FS-10) into tank. (Fuel oil may be used if flushing solution is not available.)
3. Replace tank cap and rock applicator to loosen any residue.
4. Start machine (outside the greenhouse) and "fog" until tank is empty.
5. Loosen insecticide tank cap to relieve pressure.
6. Remove chemical filter and rinse in gasoline.

After flushing the Carmel Fog Applicator clean engine tailpipe with tailpipe brush and clean intake with special cleanout rod.

CAUTION

Antidote: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately!

Warning: Poisonous by skin contact, inhalation, or swallowing! Rapidly absorbed through the skin! If on skin, wash immediately with soap and water. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Do not breathe fog or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. Atropine is antidotal. Keep away from heat and open flame. Always wear a gas mask of a type recommended by the U. S. Department of Agriculture for Labeled Insecticide Protection. Keep out of reach of children.

This product is toxic to fish. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label.

NOTICE

Seller makes no warranty other than specified on this label. The buyer agrees that the seller shall not be responsible or liable for injury to crop, soil, person, or property arising from careless or improper use or handling of the product. Please use in accordance with seller's directions.

IMPORTANT STORAGE INSTRUCTIONS

If subjected to temperatures below 32°F. move container to warm storage until reaching average room temperature and thoroughly mix before use.

FLEA AND TICK SPRAY

Pressurized Spray for Use on Dogs

Kills Fleas, Lice, Ticks and Gnats. Checks doggy odors due to skin bacteria, Repels Flies, Mosquitoes and Gnats.

ACTIVE INGREDIENTS:

Pyrethrins	0.06%
Piperonyl Butoxide, Technical*	0.48%
Malathion (0,0 dimethyl dithiophosphate of diethyl mercaptosuccinate)	0.50%
2,2' thiobis (4-chloro-6-methylphenol)	0.10%
2,3,4,5-bis (2-butylene)-tetrahydrofurfural	0.24%
Petroleum Distillate	23.62%
	<hr/> 25.00%

INERT INGREDIENTS:

Trichlorofluoromethane	25.00%
Dichlorodifluoromethane	50.00%
	<hr/> 100.00%

total

*Consists of .384% (butyl carbonyl)(6-propyl piperonyl) ether and .096% other related compounds

*CAUTION: **CONTENTS UNDER PRESSURE
See Side Panels
KEEP OUT OF REACH OF CHILDREN


DIRECTIONS FOR USE

Apply spray to the animal from a distance of 12 to 18 inches. Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered including the legs and under the body. As you spray, ruffle the hair so that the spray will penetrate into the fur. Make sure spray wets ticks. Spray on the basis of a 20-30 second application to a 25 pound animal. Repeat treatments, if necessary; should not be more often than once weekly. Do not spray into the eyes, face or scrotum. Do not overspray. Do not use on animal's under 6 week's of age.

CAUTIONS

Never store dispensers where temperatures may exceed 120°F.
Do not puncture or incinerate container.
Avoid using on birds or around fish bowls.
Wash hands after using dispenser.
Keep dispenser out of reach of children.

NET WEIGHT 12 OUNCES
BARRETT CHEMICAL CO.
Philadelphia, Pa.



*Word CAUTION will be in 18 point letter's on front & side panel's
**"KEEP OUT OF REACH OF CHILDREN" will be in 12 point letter's on front and side panel's

1 quart, 6 tablespoonfuls per gallon of water. Spray around foundation, under porches, along fences, shrubbery and other infested areas.

HOUSEHOLD PESTS. Roaches, Ants, Spiders, Mosquitoes, Silverfish, Fleas, Silverfish, Earwigs, in and around homes: 8 tablespoonfuls per 1 gallon of water. Apply coarse spray or brush under sinks, around windows, baseboards, drainboards and other areas. Avoid contamination of food, dishes, utensils and water.

CAUTIONS. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, wash skin and hands thoroughly after using. Avoid contamination of feed or food stuffs. Malathion is a cholinesterase inhibitor and can cause symptoms similar to those caused by other organic phosphate compounds. If poisoning should occur, call a physician immediately. Atropine is antidotal.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Keep children and pets off treated areas until material is washed into the soil and grass is dry. Do not use on Boston Maiden Hair or Pteris Ferns.

Do not leave mixed spray in sprayer. Do not store diluted spray. Make new mixture each time. Do not contaminate water by cleaning of equipment or disposal of waste. Rinse equipment and dispose of waste and empty containers by burying in non-crop lands away from water supplies. Do not reuse containers.

This product will kill fish and wild life. Do not contaminate lakes, ponds, streams, woodlands and other non-crop areas.

This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA REG. NO. 5719-41 AA EPA EST. 5719-CA-1

CHACON CHEMICAL CORPORATION

2600 Yates Avenue • City of Commerce, California 90040

A Subsidiary of Leisure Enterprises, Inc.

CHACON

50% MALATHION

CONTROL
APHIDS — RED SPIDER MITES — MEALYBUGS — SCALE
CLOVE MITES — FLIES — LEAFHOPPERS — LEAFHOPPERS

Active Ingredients:

Malathion*	50.00%
Aromatic Petroleum Derivative Solvent	40.37%
Inert Ingredients	9.63%

*0,0 dimethyl dithiophosphate of diethylmercaptosuccinate

NET 32 FL. OZ. (1 QUART)

CAUTION: Keep out of Reach of Children Other Cautions on Back Panel

CHACON 50% MALATHION

Read entire label carefully. Use only as directed in accordance with label cautions, warnings and directions. Spray thoroughly, cover both sides of leaves and other parts of the plant. Repeat if necessary. Can be used up to 3 days before harvest, unless otherwise specified. **NOTE:** Do not mix with any other agents or any other spray materials with this product.

ORNAMENTALS, Roses, Azaleas, Gardenias, Camellias, Stocks, Chrysanthemums, and other flowers and shrubs. Aphids: 1 1/2 to 2 teaspoonfuls per gallon of water. Red Spider Mites, White Flies, Mealybugs, Woolly Aphids, Rose Leafhoppers, Jassids (exposed), Tarnished Plant Bug, Box Elder Bug, Japanese Beetles (Adult), 1 tablespoonful per gallon of water. Black Scale, Soft Scale, Oyster Shell Scale: 1 1/2 to 2 tablespoonfuls per gallon of water.

FRUITS, Apples, Pears, Grapes. Aphids: 1 1/2 to 2 teaspoonfuls per gallon of water. Red Spider Mites, Mealybugs, White Flies, Jassids (exposed), Japanese Beetle (Adult), Pear Psyllid, Pear Leafhopper, Tarnished Plant Bug, 1 tablespoonful per gallon of water. Pear Crawlers: 1 1/2 to 2 tablespoonfuls per gallon of water. Do not apply to Pears within 1 day of harvest. Do not spray during bloom period. Malathion may injure the foliage on some varieties of Apples and Grapes.

CITRUS, Orange, Lemon, Lime, Grapefruit, Citrus. Aphids, White Flies, Black Scale, Purple Scale, Yellow Scale (exposed), 2 teaspoonfuls per gallon of water. Do not spray within 7 days of harvest. Do not spray during bloom period.

VEGETABLES, Broccoli, Brussels Sprouts, Cauliflower, Kale, Water Kale, Beans, Peas. Aphids: 1 1/2 to 2 teaspoonfuls per gallon of water. Red Spider Mites, Mealybugs, Bean Leafhopper, Bean Leafhopper, Japanese Beetle (Adult), 1/2 to 1 tablespoonful per gallon of water. Do not spray within 3 days of harvest and 1 day before planting of Cabbages, Cauliflower or Kale within 7 days of harvest. Do not spray during bloom period. Do not treat beans with Malathion.

HOUSE FLIES (not, however, on the back panel).

ACCEPTED
APR 15 1975
FARMER
1975