

(Front Panel)

-1-

F

GENERAL INFORMATION AND FORMULATION DETAILS.

FORMULA MU-5

NAME

DATA Reg. No. 5011-

A concentrated insecticide formulation for use in tobacco
warehouses and to be applied with a Thermal Chemical Fog
Fabricator only.

ACTIVE INGREDIENTS:

1,3-dichlorovinyl diethyl phosphate-----	2.3%
selected compounds -----	0.7%
selected inorganics -----	0.05
1,1,1-trichloroethane -----	<u>60.05</u>
Total	100.0%

PURCHASE

FORM

CONTAINER

NET WT. 40 LBS.

GENERAL INFORMATION

Formulation prepared for control and reduction
of insect infestation.

ACCEPTED

Accepted by

JAN 2 1969

U.S. Environmental Protection Agency
Office of Pesticide Programs
Division of Pesticide Control
750 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

5011-43

RECEIVED
1-22-69
5011-93

-2-

(Side Panel)

When applied in conjunction with the Carmel Chemical Fog Applicator,

CARMEL CHEMICAL FORMULA MU-5 is recommended for the control of Cigarette Beetles and Tobacco Moths in buildings where tobacco is stored.

PREPARATION OF THE BUILDING PRIOR TO FOGGING

(1) Close all doors, windows, and ventilators. (2) Lock or barricade all entrances, post warning signs, and take precautions to prevent persons and animals from entering the area. (3) Room temperature should read over 70° F. for best insect kill.

FOR CIGARETTE BEETLE OR TOBACCO MOTH CONTROL

IN TOBACCO STORAGE ROOMS:

Wear a full-faced gas mask with canister type recommended by the U. S. Department of Agriculture for Phosphine insecticide protection. (1) Open the metering valve on the Carmel Chemical Fog Applicator counter-clockwise to the No. 4 setting on the dial. Eight ounces of liquid will be passed per minute, with a mean median diameter of 5 microns, to treat 14,400 cubic feet of space (equivalent to one acre per 3,000 cubic feet of space).

TOBACCO DRYING CIGARETTE BEETLE: Use 1 quart of fog, equivalent to 1000 cubic feet per week for total cigarette beetle control.

TOBACCO DRYING TOBACCO MOTH: Use 1 quart of fog, equivalent to 1000 cubic feet per week for total tobacco moth control.

APPLICATION: Walk and apply fog the perimeter of the room except the fogging Fog Applicator back and cover 1000 cubic feet of space equivalent to 1000 cubic feet per room.

ACC 770
1-22-69
5011-93

Minimum length of exposure time is 8 hours with windows and doors closed. After this exposure time, the room should be well ventilated - at least 1 hour before re-entering.

CARMEL CHEMICAL FORMULA MU-5 registers no flash point when tested in accordance with ASTM Standard D 92 - 66, Cleveland Open Cup.

FOG APPLICATOR NOTICE

Flush the insecticide tank of the Carmel Fog Applicator immediately after each use otherwise residue from the formulation may remain in the tank and insecticide system and block the system completely resulting residue for output and poor insect control. Flushing immediately after use is a complete answer to this problem.

TO FLUSH:

1. Drain insecticide tank. (To avoid draining tank after a flight, pour in only required amount of insecticide and flush all in the coming operation.)
2. Pour at least 1 quart of Carmel MU-5 into bottom of tank. (This will help to break up any residue left in tank after application.)
3. Replace tank cap and replace tank cover snugly on top.
4. Start machine (central) and "start" until tank is empty.
5. Loosen insecticide tank cap to relieve pressure.
6. Remove central filter and clean it thoroughly.

1-22-69
5011-93

After flushing the Carmel Fog Applicator, clean entire tailpipe with tailpipe brush and clean intake with special cleanout rod.

CAUTION

Antidotes: If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

WARNING: Poisonous by skin contact, inhalation, or swallowing. Rapidly absorbed through skin. If on skin, wash immediately with soap and water. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Do not breathe fog or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. Atropine is antidote. Keep away from heat and open flame. Always wear a gas mask of appropriate recommended by the U. S. Department of Agriculture for phosphate insecticides and similar compounds such as dusts, fumigants, all pilot lights and matches. Do not smoke pipe or cigarette.

NOTICE: Rinse equipment and tools after each use of waste by burying in non-inflammable away from water courses. Equipment must be completely undiluted and in them and burying with roots, or by burning after dilution.

NOTICE: Do not make or employ other than the following methods of disposal except that the following may be employed if applicable: Fertilizer, manure, soil, compost, or manure and dust from the product, or any part of the product. Do not burn or expose to fire or open flame.

1-22-69 |
5011-93 |

DISINFECTANT AND SANITIZER

If subjected to temperatures below 50°F, move container to warm storage until reaching average room temperature and thoroughly mix before use. Keep out of reach of children.

Net Contents: _____