

with **PM 17 EPA # 36272-10** pg 1 of 1  
 CLP 1/26/90

**DIRECTIONS**

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

**SPACE SPRAY:** For rapid control of houseflies, fruit flies, mosquitoes, small flying moths, and gnats: Close doors and windows and shut off ventilating systems. Apply using a good sprayer adjusted to deliver a fine mist. Direct spray toward the upper portions of the enclosure, filling the room with mist. Use 1/2 to 1 ounce per 1000 cubic feet of space.

**SURFACE SPRAY:** To kill exposed stages of roaches, ants, spiders, clover mites, cheese mites, confused flour beetles, saw-toothed grain beetles, red flour beetles, rice weevils, granary weevils, and grain mites: Apply as a coarse mist directed toward insects, into cracks and crevices, along baseboards, around the base of machinery, containers of stored

*Directions continued on right side panel*

**MYSTIC  
 FOOD PLANT  
 SPRAY**

The insecticidal components piperonyl butoxide and pyrethrins are classified as food additives, and when this product is used as directed allowable tolerance levels will not be exceeded.

<b>ACTIVE INGREDIENTS:</b>	
Pyrethrins .....	0.2%
*Piperonyl Butoxide, Technical.....	1.0%
<b>INERT INGREDIENTS</b>	
Petroleum Distillates.....	96.0%
	100.0%

\*Equivalent to 0.01 of (butylcarbityl) (6-propylpiperonyl ether and to 0.21 of related compounds

SEE SIDE PANELS  
 FOR ADDITIONAL PRECAUTIONS

Manufactured for:  
**GENERAL PEST CONTROL CO.**  
 3561 WEST 106th ST. • CLEVELAND, OHIO 44111  
 (216) 252-7140

Directions continued

products, and other areas where insects may hide. Spray ant trails, nests and other points of entry. Spray badly infested areas daily. In other areas repeat treatment twice weekly or when reinfestation occurs.

**CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds; and ~~copy~~ fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water cleaning of equipment or disposal of wastes. Apply only as specified on the label.

do not use, pour, spill or store near heat or open flame.

do not reuse empty container or drum. Return empty drum to a drum conditioner. Destroy empty container or drum by perforating or crushing and burying in a safe place away from water supplies.

**NET CONTENTS:**

EPA Est. No. 36272-OH-1  
 EPA Reg. No. 36272-10-2496



as irritant. Corrosive causes eye damage and skin irritation. Do not get on eyes or skin or on clothing. Protect eyes and skin when handling concentrated material or fatal if swallowed. Avoid contamination of food. Keep out of reach of children.

### STATEMENT OF PRACTICAL TREATMENT

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk (eggs, white, plain, or skinned), or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Stenson Germicidal Cleaner and Odor Counteractant is a highly concentrated, 4-way action, synthetic detergent that cleans, disinfects, sanitizes and deodorizes. It is a hospital cleaner/disinfectant formulated with dual quaternary ammonium disinfectant detergent and synergizing builders. It is designed specifically for use where controlling the hazard of cross infection from the inanimate environment is of prime importance. It is especially adaptable for use by hospitals, sanitariums, nursing homes, physicians, veterinarians and schools. It can be effectively used on floors, walls, sink tops, garbage pails, telephones, rest rooms, bedrooms and operating rooms. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa* and the pathogenic fungi, *Trichophyton interdigitale*. When used on environmental inanimate hard surfaces at two (2) ounces per gallon of water, it is effective against influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

**BEST AVAILABLE COPY**

