

[5011-139]

DIRECTIONS FOR USE

SPACE SPRAY Use undiluted to kill accessible stages of insects* infesting dried fruit products in storage or being processed. Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device to disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use one ounce per 1000 cubic feet of space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, and Saw-toothed Grain Beetle.

SPACE SPRAY Use undiluted to kill the adult and accessible forms of insect pests* of stored food (stored in multiwall paper bags or in cloth bags) in warehouses, storage rooms and similar locations. Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device to disperse this product. First direct spray into corners under pallets and around stacks of packaged goods hitting as many insects as possible and then treat as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Repeat application as necessary for insect control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Rice Weevil, Yellow Meal Worm, Caterpillar, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

SPACE SPRAY Use diluted to kill flies, mosquitoes and gnats in open areas. Dilute concentrate with high quality insecticide base oil at the rate of one part concentrate to two parts oil and mix well. Use at a time when the temperature is cool (75° or less) and the wind velocity is approximately 5 MPH, with a ULV spraying device, spray at a dosage rate of 15 ounces per minute upwind of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately 5 MPH with a swath width of no more than 300 feet. Repeat application as required.

FORMULA F-105

EPA Reg. No. 5011-139

CARMEL

ACTIVE INGREDIENTS:

Pyrethrins	3.00
Technical piperonyl butoxide	5.00
N-Octyl bicycloheptene dicarboximide**	10.00
Petroleum distillates	81.00

Total 100.00

*Equivalent to 4.80% of butylcarbitol, 6-propylpiperonyl ether and to 1.20% of related compounds.

**MGK 254 Insecticide Synergist.


ETHICAL

CAUTION

KEEP OUT OF REACH OF CHILDREN.

CHEMICALS

For complete formula information, see page 10.



FORMULA F-105

EPA Reg. No. 5011-130

CARMEL

ACTIVE INGREDIENTS:

Pyrethrins	3.00%
Technical Permethrin Hydroxide	6.00%
N-Octyl bicycloheptene dicarboximide**	10.00%
Petroleum distillates	81.00%

Total 100.00%

*Equivalent to 4.80% of butylcarbitol
5-propylpiperonyl ether and 1.20% of
related compounds.
**EPA 264 Insecticide Synergist

ETHICAL

CAUTION

KEEP OUT OF REACH OF CHILDREN.

See side panel for additional cautions.

CHEMICALS

CONTACT SPRAY Use undiluted to kill roaches, silverfish, waterbugs, earwigs, ants, spiders, in sheltered situations. Adjust ULV applicator to a 5 to 15 micron particle spray, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

CAUTION

Do not pour or spill near open flame. Mix well in container before each use. Keep container closed and store in a cool place.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place. Apply this product only as specified on this label.

Harmful if swallowed. Do not apply directly to food. Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE

Seller makes no warranty other than specified on this label. The buyer agrees that the seller shall not be responsible or liable for injury to crop, soil, person, or property arising from careless or improper use or handling of the product. Please use in accordance with seller's directions.



MANUFACTURED BY

Chemical Corporation

WESTERLY, CONNECTICUT 06391

Net Content: 1 Gallon