

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS 767)
WASHINGTON DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

January 25, 1982

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
NEEDS RENEWAL

Under the Federal Insecticide, Fungicide,
and Rodenticide Act (FIFRA)

NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)

NOTE: Changes in labeling formula, literature or substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence with the product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been used by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

David H. Schenck

DATE

1/25/82

EPA Reg. No. 5011-

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS: FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES

In food areas of food handling establishments, application is limited to spot and/or crack and crevice treatment

ALSO, FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO, FOR USE IN DOG KENNELS AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79 L) of spray is sufficient to treat 1500 linear feet (457 meters) with a six inch (15.2 cm) spray band

GENERAL INFORMATION: Mix this product with water as shown in the **SPRAY DILUTION CHART**. Use a 0.1% + 0.50% spray to quickly reduce heavy infestations and a 0.05% + 0.25% spray to control light infestations and for maintenance purposes

SPRAY DILUTION CHART		
Gallons of Spray Mixture Desired	Volume of UltraTEC® Insecticide with SBP-1382/Chlorpyrifos TEOC 3.2%+16%	
	0.05%+0.25%	0.1%+0.5%
1 (3.79 L)	2 fl oz (59.2 ml)	4 fl oz (118.3 ml)
3 (11.37 L)	6 fl oz (177.4 ml)	12 fl oz (355 ml)
5 (18.95 L)	10 fl oz (295.7 ml)	20 fl oz (591.5 ml)
10 (37.90 L)	20 fl oz (591.5 ml)	40 fl oz (1183 L)

***NOTE:** Do not store the concentrate at temperatures below 40°F (4.5°C). If the concentrate is exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before diluting with water. Do not expose the spray mixture to temperatures below 32°F (0°C)

****NOTE:** 1 fl oz (29.6 ml) = 2 tablespoons = 8 teaspoons.

CONTACT SPRAY: Kills and reduces infestations: Cockroaches (waterbugs), Crickets, Boxelder Bugs, Scorpions, Spider Beetles, Silverfish (firebrats), Carpet Beetles, Clover Mites, Centipedes, Millipedes, Earwigs, Sowbugs (pillbugs), Ants, Spiders, Fleas. Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary

ANTS (including FIRE ANTS): To kill ants within buildings and homes, spray trails, nests and points of entry. Spray directly on ants where possible. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to infested areas such as pet's beds and resting quarters, nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application such as SBP-1382®/Bioallethrin Aqueous Pressurized Spray, EPA Reg. 432-482, to control the source of flea and tick infestation.

CARPET BEETLES AND CLOTHES MOTHS: Do not spray clothing with this product. Do not allow clothing to contact areas where this product has been used. Spray edges of carpeting and under carpeting, rugs and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary.

RESIDUAL SPRAY: Aids in control of Cockroaches (waterbugs), Crickets, Boxelder Bugs, Scorpions, Spider Beetles, Silverfish (firebrats), Centipedes, Millipedes, Earwigs, Sowbugs (pillbugs). Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchen and bathrooms. In basements, apply in hiding places, in cracks and crevices, lowery sills and dark places. Spray surfaces until wet, but not to the point of run-off

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mites, crickets, earwigs, millipedes and

sowbugs (pillbugs) prevent infestation. height of 2 to 3 feet may find entrance surfaces of buildings, eaves, porches, etc. these pests control needed to maintain

HOUSE FLICC, MO
For outdoor use
Insects Spray out
or wherever these
around light fixtures
where these insects

ANTS, LONE ST.
OUTDOORS: For
insects in outdoor
crop areas, spray
wet hills and run
and as reinfestation

TO CONTROL FIRE
gallon (3.79 L) of
gentle rain to
Thoroughly wet
diameter (1.22 m)
(18.3-27°C), or in
mounds as they
treatment. If pos
colonies which r
Larger quantities
treatments. Equ
rain at the rate of

Our recommend
tests believed to
the control of
implied, is mad
obtained. If no
established s
responsibility,
misuse as such

Residual Control

Contains 0.271 lb/gal (32.5 g/L) of SBP-1382 and 1.35 lb/gal (162 g/L) of Chlorpyrifos
A COMBINATION OF INSECTICIDES OFFERING GOOD FLUSHING ACTIVITY AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS

For Residual and Contact Control of Cockroaches (Waterbugs), Crickets, Boxelder Bugs, Silverfish (Firebrats), Clover Mites, Centipedes, Millipedes, Earwigs, Scorpions, Sawbugs (Pillbugs), Spiders, Brown Dog Ticks, Lone Star Ticks, Ants, Spider Beetles, House Flies, Fire Ants, Carpet Beetles, Fleas, Mosquitoes, Gnats, Flying Moths.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for insect control programs.
CONTAINS DURSBAN® INSECTICIDE

ACTIVE INGREDIENTS:

- Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 3.20% w/w
- Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 16.00%

INERT INGREDIENTS:

with CONCERN
to EPA Label Data: 50.80%
100.00% w/w

JAN 25 1989

Contains Methanol
Cis:trans isomers ratio: max. 30% (cis) and min. 70% (trans)
U.S. Patent Nos. 3,445,007 and 3,542,928
Pentac's SBP-1382® brand of resmethrin insecticide
Pentac Corp., 1060 Wall Street West, Lyndhurst, N.J. 07097
U.S. Patent No. 3,244,546 Dursban-Trademark of the Dow Chemical Co.
U.S. Patent No. 3,643,078

Under the Federal Insecticide, Fungicide, and Rodenticide Act
Manufactured by the Dow Chemical Co.
Registered under EPA Reg. No.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente (TO THE USER, If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN
DANGER
POISON

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or in clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. In food handling areas application is limited to crack and crevice and/or spot treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until cover has dried. Remove pets and cover fish bowls (tanks) before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth if unconscious or convulsing person. If in eyes or on skin, flush with plenty of water. For eyes, get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote. Aspiration hazard may exist with this product.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Flammable; Keep away from heat or open flame. Flash point minimum of 80°F (15.5°C). Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

DANGER. Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact flush with plenty of water and get medical attention. See side panel for additional precautionary statements and statement of practical treatment.

In food handling establishments, can be used in non-food areas as a contact or residual spray in food areas. application is limited to spot and/or crack and crevice treatment.
EPA Reg. No. 5011- EPA Est. 5011-IN-01

LOT NO. NET CONTENTS 1 gal (3.78 L)

MANUFACTURED BY
DOW CHEMICAL CORPORATION
1900 S. 31, NORTH
WESTFIELD, IN 46074

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: This material may stratify upon standing, even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.3°C). Allow to stand until product reaches room temperature and thoroughly mix before using. **DO NOT USE OPEN FLAME FOR WARMING.**

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

DIRECTIONS FOR USE (Continued on reverse side)