

Precautionary Statements

HAZARD TO HUMANS

DANGER

CORROSIVE

Causes irreversible eye damage and skin irritation.

Harmful if swallowed.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield, protective clothing, and rubber gloves.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID INSTRUCTIONS

If in eyes: Flush with plenty of water. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazard

This product is toxic to fish.

Do not discharge into lakes, streams, ponds or public water unless in accordance with an NDPS permit. For guidance contact your Regional Office of the EPA.

SPECIMEN LABEL

42% OF ACTUAL SIZE

APR 8 1983

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER POISON

CONTAINS METHANOL. MAY BE FATAL OR CAUSE
BLINDNESS IF SWALLOWED. POISONOUS IF INHALED.
CAUSES EYE DAMAGE.

Do not breathe vapors or spray mist.
Do not get in eyes, on skin, or on clothing.

WARNING SYMPTOMS — Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

NOTE TO PHYSICIAN

TREATMENT — Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.8 mg. intravenously every 10 to 30 minutes until full atropization is achieved. Maintain atropization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use 2-PAM for exposure to Lannate® LV alone. However, for exposure to combinations of Lannate LV and organophosphorus insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment. Do not use morphine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to bees exposed to direct application. Do not apply this product while bees are actively visiting the treatment area. Time applications to coincide with periods of minimum bee activity.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame. Keep container closed. Use with adequate ventilation.

STORAGE AND DISPOSAL

Pesticide, spray mixture or waste water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

NOTICE OF WARRANTY

Du Pont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Du Pont. In no case shall Du Pont be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. DU PONT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

NOTICE TO BUYER—Purchase of this material does not confer any rights under patents of countries outside of the United States.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

DU PONT

Lannate® LV
INSECTICIDE

Water Miscible Liquid • 1 Gallon Contains 2.4 lbs. Methomyl

ACTIVE INGREDIENT: Methomyl

S-methyl N-[(methylcarbamoyl)oxy]thioacetimidate 29%

INERT INGREDIENTS 71%

U.S. Pat. 3,578,834
3,975,518

EPA Reg. No. 352-364
EPA Est. 362-TX-1

Keep out of reach of children.

DANGER POISON STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove from exposure and have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

If in eyes: Flush eyes with plenty of water. Get medical attention.

If on skin: Wash skin with plenty of soap and water, remove and wash contaminated clothing before re-use. Get medical attention.

ATROPINE IS AN ANTIDOTE—SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING

If warning symptoms appear (see WARNING SYMPTOMS on side panel), get medical attention.

See Side Panel for Precautionary Statements

IMPORTANT—When mixing spray, loading, applying or otherwise handling, wear protective goggles, and a mask or respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Pilot should not assist in the mixing and loading operation. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift.

GENERAL INFORMATION

Scouting—Monitoring insect populations to determine whether or not there is a need for application of Lannate® LV is recommended. More than one treatment of Lannate® LV may be required to control a population of pests.

Insect Predators—Lannate® LV at rates of 1/4 to 1/2 pt. per acre helps conserve certain beneficials, including big-eyed bugs, damsel bugs, flower bugs and spiders in cotton and soybeans. While these beneficials cannot be relied upon to control pests, they are of potential value and should be monitored along with pests in pest management programs on these crops.

Compatibility—Since formulations may be changed and new ones introduced, it is recommended that users premix a small quantity of a desired tank mix and observe for possible adverse changes (settling out, flocculation, etc.). Avoid mixtures of several materials and very concentrated spray mixtures.

Do not use Lannate® LV with Bordeaux mixture "Du Pont" (triphenyltin hydroxide), lime sulfur "Roxypen" iron or in highly alkaline solutions. Use mildly alkaline mixtures immediately after mixing to prevent loss of insecticidal activity.

5 U.S. GALLONS

DO NOT SUB TO TEMPERATURES BELOW 32°F

E. I. DU PONT DE NEMOURS & CO. (INC.) BIOCHEMICALS DEPARTMENT • WILMINGTON, DELAWARE
Made in U.S.A. Printed in U.S.A.

Roussel

PARACLOX
is a highly effective fungicide and bactericide for use in
controlling the growth of bacteria and fungi found in
cooling systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a
manner inconsistent with its labeling.

PARACLOX
because of its outstanding efficacy and dispersibility is fed
into the water. It is generally used in shock treatment,
i.e. once or at most twice per week, at a dosage of
0.05-0.25 ounce per 1000 gallons of system water.

The exact rate of use is best determined in the cooling
system as it is influenced by varying conditions indigenous
to each cooling system. Your Roussel representative will
be pleased to design a slime control program to fit the
requirements of your cooling system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed
by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture or rinsate,
that cannot be used according to label instructions must be
disposed of according to Federal, State or local
procedures under the Resource Conservation and
Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer
for recycling or reconditioning, or dispose of in a sanitary
landfill, or by other approved State and local procedures.

PARACLOX

slimicide

KEEP OUT OF REACH OF CHILDREN

DANGER

Active ingredient: paraclox 15%
(N, 4-dihydroxy-4'-oxobenzene-ethanimidoyl chloride)

Inert ingredient: 85%

EPA Reg
No 5086-11
Contents Liquid
Net Weight 100 lb



EPA Est No
34147-FR-01

ROUSSEL CORPORATION
155 East 44th Street, New York, N. Y.

ACCEPTED
17 NOV
5086-11
U.S. DEPT. OF AGRICULTURE
FEDERAL AGENCY FOR
REGULATING PESTICIDES

Precautionary Statement
HAZARD TO HUMANS
DANGER
CORROSIVE
Causes irreversible eye
Harmful if swallowed.
Do not get in eyes, on skin
Wear goggles or face shield
rubber gloves.
Wash thoroughly with soap
Remove contaminated clothing

FIRST AID INSTRUCTIONS
If in eyes: Flush with plenty of water
If on skin: Wash with plenty of water
attention.
If swallowed: Drink plenty of
whites, gelatin solution.
large quantities of water.
Note to Physician: Probable
contraindicate the use of
Environmental Hazard
This product is toxic to fish
Do not discharge into lake or
water unless in accordance with
guidance contact your local health

Roussel

PARACLOX

slimicide

KEEP OUT OF REACH OF CHILDREN

DANGER

Active ingredient: paraclox 15%
(N, 4-dihydroxy- α -oxobenzene-ethanimidoyl chloride)


Inert ingredient: 85%

E.P.A. Reg
No. 5086-11
Contents: Liquid
Net Weight 100 lb



EPA Est. No
34147-FR-01

ROUSSEL CORPORATION
155 East 44th Street, New York, N.Y.



Precautionary Statements

HAZARD TO HUMANS

DANGER

CORROSIVE

Causes irreversible eye damage and skin irritation.

Harmful if swallowed.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield, protective clothing, and rubber gloves.

Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash before reuse.

FIRST AID INSTRUCTIONS

If in eyes: Flush with plenty of water. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazard

This product is toxic to fish.

Do not discharge into lakes, streams, ponds or public water unless in accordance with an NDPEs permit. For guidance contact your Regional Office of the EPA.