

FROM THE MAKERS OF



# Ant and Roach KILLER

KILLS RESISTANT ROACHES

Kills insects on contact. Vapors penetrate where insects hide. New formula leaves a residual insecticide that keeps on killing for 1-2 weeks, if not washed away. Formula also kills resistant Roaches

### DIRECTIONS

**TO SPRAY:** Aim spray valve toward surface to be sprayed. Hold can 6 to 10 inches from area to be treated and spray on area of one foot per second. Leave surface wet.

**TO KILL ROACHES, EARWIGS, SILVERFISH, SPIDERS, SCORPIONS, WATER BUGS, CENTIPEDES, CRICKETS, CARPET BEETLES, BROWN DOG TICKS AND SOWBUGS,** spray directly on insects where possible. spray all areas where insects are commonly found, spray behind baseboards, moldings, furniture, shelves, sinks, stove pipes and moist areas. Direct the spray into cracks, crevices and similar hiding places. Spray both the underside and infested areas of top surface of carpets. Spray inside of closets. Leave surface wet. Repeat as required.

**ANTS:** Spray ant trails and around door sills, window frames, heat ducts, electrical outlets and other openings where ants may enter. Leave surface wet. Repeat as required.



# Ant and Roach KILLER

EPA Reg. No. 5130-8AA EPA Est. 11598-CT-1  
Distributed by  
**JOHNSON CHEMICAL CO., INC.**  
BROOKLYN, N.Y. 11206  
©1966 JCC

**CAUTION-**  
KEEP OUT OF REACH OF CHILDREN

See side panels for additional directions and cautions

NET WT. 8 OZ.

# King Spray Ant and Roach KILLER

PM 15  
5130-6

### ACTIVE INGREDIENTS:

*2-(1-methylethoxy) phenol	
methylcarbamate	500%
2,2 dichlorovinyl	
dimethylphosphate	237%
Related compounds	.018%
Petroleum Distillate	87.400%
<b>INERT INGREDIENTS</b>	<b>11.845%</b>
	- 100.00%

\*Baygon®. U.S. Patent No. 3,111,539

### CAUTION

TO PHYSICIAN—

ATROPINE SULFATE IS ANTIDOTAL

**CAUTION:** Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. If swallowed get medical attention immediately. Keep out of reach of children. Wash thoroughly with soap and water after handling and before eating or smoking. Remove pets and cover fish bowls before spraying. Do not spray humans, nets, plants, water, food stuffs and utensils. Do not use in commercial food preparation areas or in edible products areas of food processing plants. Do not spray more than 1 1/2 minutes per average room (approximately 1000 cu ft). Do not allow children and pets to contact treated surfaces until dry. Provide adequate ventilation of treated areas.

Apply as a surface spray only. Do not use as a space spray.

### WARNING!

CONTENTS UNDER PRESSURE. DO NOT USE NEAR HEAT OR FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT PUT ON STOVE, RADIATOR OR PLACE WHERE TEMPERATURE WILL EXCEED 120°F.



**BEST AVAILABLE COPY**

ACCEPTED  
NOV 27 1974  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
Registration No. 5130-6

