

## CONTROL

Disinfectant-Bactericide
Active Ingredients 100%

Monosodium phosphate anhydrous, sodium dodecyl benzene sulfonate, tri-.chloromelamine, citric acid anhydrous.

Avoid contamination of feed and foodstuffs.

Avoid contact with eyes. In case of contact flush with water. If irritation persists get medical attention.

## **CAUTION**

Keep out of the reach of children.

DE VERE CHEMICAL COMPANY, INC. • JANESVILLE, WISCONSIN

control disinfect, quantity of control results. Where no facto less than 50 ppm employed.

- 1. Scrape and prewar
- 2. Wash with DE VE
- 3. Rinse with clean w
- 4. Sanitize in a soluti Immerse all utens governing sanitary
- 5. Place sanitized ute

1st TANK
WASH
1 oz. LIME SOLVI
to 4 gal. water

1/4 oz. or one re 100 ppm avai 1/12 oz. CONTR 1/6 oz. CONTR( If two tanks are used in disinfectant solution Remove and air dry. ARTICLES. AV Approved under the I USDA REG. NO. 5174-6 NET COI CONTROL DISINFECTANT meets health regulations when used as directed. Use quantity of CONTROL recommended by local health department to give desired results. Where no facilities are available to test chlorine reduction of use solution to less than 50 ppm available chlorine, a starting solution of 200 ppm should be employed.

- 1. Scrape and prewash utensils and glasses whenever possible.
- 2. Wash with DE VERE LIME SOLVENT.
- 3. Rinse with clean water.
- 4. Sanitize in a solution of ½ oz. CONTROL to three gallons of water (200 ppm). Immerse all utensils for at least two minutes, or for contact time specified by governing sanitary code.
- 5. Place sanitized utensils on a rack or drainboard to air dry.

## **DIRECTIONS FOR USE**

1st TANK	2nd TANK	3rd TANK
WASH 1 oz. LIME SOLVENT	RINSE	DISINFECT Required amount of
to 4 gal. water	Clear water	CONTROL disinfectant

1/4 oz. or one rounded teaspoon CONTROL to three gallons of water provides 100 ppm available chlorine.

1/12 oz. CONTROL per gallon of water provides 100 ppm avl. chlorine.

1/6 oz. CONTROL per gallon of water provides 200 ppm avl. chlorine.

If two tanks are used, use directions for the first and third tanks. Immerse glasses in disinfectant solution for the period of time required by health department. Remove and air dry. CAUTION: DO NOT TOWEL DISINFECTED GLASSES OR OTHER

ARTICLES. AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

Approved under the regulations of the Wisconsin State Board of Health.

USDA REG. NO. 5174-6

NET CONTENTS: One pound 4 oz. Jar full when packed.

Contents will settle in shipment.

ACCEPTED

THE FEDERAL INSECTICIDE

TO ATTACHED COMMENTS.

SIN