

### DE VERE HELP SANITIZER

HELP is a sanitizer for the last tank. HELP leaves no film on glasses. The rich creamy head on beer lasts longer when HELP is used in the last tank. Even on the first glass of beer, a collar of foam remains after each swallow. Glasses will drain perfectly and there will be no water spotting. When used as directed, HELP is tasteless and odorless.

Approved under the regulations of the Wisconsin State Board of Health.


### DIRECTIONS FOR USE

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with De Vere LIME SOLVENT.
3. Rinse with clean water.
4. Sanitize in a solution of 3/4 oz. HELP to 1 gallon of water. Immerse all utensils for at least two minutes, or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.

1st TANK WASH 1 oz. LIME SOLVENT to 4 gal. water	2nd TANK RINSE Clear Water	3rd TANK SANITIZE Required amount of HELP Sanitizer
---	----------------------------------	--

3/4 oz. HELP to 1 gallon of water provides 150 ppm of active ingredients Dodecyl Benzene Sulfonic Acid.

Use only in stainless steel tanks. Do not mix with chlorine solutions.



DE VERE CHEMICAL CO., INC.

JANESVILLE, WISCONSIN 53547

1923 BELOIT AVENUE

PM 32  
517-1-11  
182

ONLY FOR SALE TO, USE, AND STORAGE  
BY SERVICE PERSONS.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS

## DANGER

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, OR SKIN, OR ON CLOTHING. PROTECT EYES AND SKIN WHEN HANDLING. HARMFUL IF SWALLOWED.

### STATEMENT OF PRACTICAL TREATMENT

**IF IN EYES:** Flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN:** Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

**IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

## STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry place. Store in original container only.

**DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Do not use empty container. Triple rinse (or equivalent). Dispose of in the trash.

ACCEPTED

OCT 12 1984

5174-11

E.P.A. Reg. No. 5174-11

EPA REGISTRATION NO. 174-114. INSECTICIDE,  
FUNGICIDE AND ROACH KILLER ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO.

NET CONTENTS: ONE GALLON

D = 9.4 Vol gas

242