

DE VERE CHEMICAL COMPANY, INC.

JANESVILLE, WISCONSIN 53546

AREA CODE 608 752-0576

UW-UDDER WASH because of its high germicidal activity aids in controlling the spread of organisms which may cause mastitis and contributes to the milking sanitation program.

DIRECTIONS FOR USE:

Flank and Udder Washing Prior to Milking—Use 1 oz. UW-UDDER WASH to 4 gallons of warm water (110-115 F). Approximately one minute before application of the machine, wash and massage the teats and udder with this solution. Use a clean, individual paper towel for each cow. Do not dip used towel back into solution. Dry teats and udder.

SANITIZATION OF DAIRY EQUIPMENT

Wash equipment with a solution of HDC or HDL and rinse with clean water. Sanitize in a solution of one ounce of UW-UDDER WASH to four gallons of water (200-ppm). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code. Place sanitized utensils on a rack or drainboard to dry. Do not mix UW-UDDER WASH with soap or synthetic detergents.

FIRST AID:


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.


If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantites of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard.

EPA Reg. No. 5174—19

NET CONTENTS: 1 GALLON





JANESVILLE, WISCONSIN 53545



DE VERE CHEMICAL COMPANY, INC.

JANESVILLE, WISCONSIN 53546 AREA CODE 608 752-0576

UW-UDDER WASH because of its high germicidal activity aids in controlling the spread of organisms which may cause mastitis and contributes to the milking sanitation program.

DIRECTIONS FOR USE:

Flank and Udder Washing Prior to Milking—Use 1 oz. UW-UDDER WASH to 4 gallons of warm water (110-115 F). Approximately one minute before application of the machine, wash and massage the teats and udder with this solution. Use a clean, individual paper towel for each cow. Do not dip used towel back into solution. Dry teats and udder.

SANITIZATION OF DAIRY EQUIPMENT

Wash equipment with a solution of HDC or HDL and rinse with clean water. Sanitize in a solution of one ounce of UW-UDDER WASH to four gallons of water (200-ppm). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code. Place sanitized utensils on a rack or drainboard to dry. Do not mix UW-UDDER WASH with soap or synthetic detergents.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantites of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard.

EPA Reg. No. 5174-19

NET CONTENTS: 1 GALLON

