

DE VERE

CONTROL SANITIZER #2

ACTIVE INGREDIENTS:

MONOSODIUM PHOSPHATE	52.00%
TRICHLOROMELAMINE	18.00%
CITRIC ACID	18.00%
SODIUM DODECYLBENZENE SULFONATE	9.00%
TETRASODIUM ETHYLENEDIAMINE TETRAACETATE	1.50%
INERT INGREDIENTS:	1.50%
TOTAL INGREDIENTS:	100.00%

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.

Avoid contamination of feed and foodstuffs.

Avoid contact with eyes. In case of contact flush with water. If irritation persists get medical attention.

DIRECTIONS

1. Scrape and prewash utensils.
2. Wash with DE VERE LIME SOLVENT.
3. Rinse with clean water.
4. Sanitize in a solution of DE VERE CONTROL SANITIZER #2. Immerse all utensils for 10 minutes. Follow the governing sanitary code.
5. Rinse sanitized utensils with clean water and allow to air dry.

1st TANK WASH

1 oz. LIME SOLVENT
to 4 gal. water

Sanitized utensils and glassware should contain a minimum of 100 ppm avl. chlorine.

If two tanks are used, use the second tank for rinsing and air dry. CAUTION: DO NOT AVOID CONTAMINATION OF FOOD AND FEED.

Approved under the regulation of the EPA.

EPA REG. NO. 5174-20

Rinse empty container before use.

NET CONTENTS

Con

DE VERE CHEMICAL CO., INC.

1923 BELOIT AVENUE

JANESVILLE, WISCONSIN 53545

ACCEPTED

DE VERE

CONTROL SANITIZER #2

ACTIVE INGREDIENTS:

MONOSODIUM PHOSPHATE	52.00%
TRICHLOROMELAMINE	18.00%
CITRIC ACID	18.00%
SODIUM DODECYLBENZENE SULFONATE	9.00%
TETRASODIUM ETHYLENEDIAMINE TETRAACETATE	1.50%
INERT INGREDIENTS:	1.50%
TOTAL INGREDIENTS:	100.00%

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.

Avoid contamination of feed and foodstuffs.

Avoid contact with eyes. In case of contact flush with water. If irritation persists get medical attention.

DIRECTIONS

1. Scrape and prewash utensils
2. Wash with DE VERE LIME SOLVENT
3. Rinse with clean water.
4. Sanitize in a solution of DE VERE LIME SOLVENT. Immerse all utensils for 10 minutes. Rinse with clean water.
5. Rinse sanitized utensils with clean water and allow to air dry.

1st TANK
WASH

1 oz. LIME SOLVENT
to 4 gal. water

Sanitized utensils and glassware should contain 100 ppm avl. chlorine.

If two tanks are used, use 100 ppm in sanitizer solution for the 1st tank and 50 ppm in the 2nd tank. Rinse with clean water and air dry. **CAUTION: DO NOT AVOID CONTAMINATION**

Approved under the regulation of the EPA. EPA REG. NO. 5174-20

Rinse empty container

NET CONTENTS

Cont.

DE VERE CHEMICAL CO., INC.

1923 BELOIT AVENUE

JANESVILLE, WISCONSIN 53545

ACCEPTED

DIRECTIONS

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with DE VERE LIME SOLVENT.
3. Rinse with clean water.
4. Sanitize in a solution of 1/2 oz. CONTROL to three gallons of water (200 ppm). Immerse all utensils for at least two minutes, or for contact time specified by governing sanitary code.
5. Rinse sanitized utensils with potable water, then place on a rack or drainboard to air dry.

DIRECTIONS FOR USE

1st TANK WASH	2nd TANK RINSE	3rd TANK SANITIZE
1 oz. LIME SOLVENT to 4 gal. water	Clear water	Required amount of CONTROL SANITIZER

Sanitized utensils and glasses must be rinsed with potable water prior to reuse. 1/4 oz. or one rounded teaspoon CONTROL to 1.5 gallons of water provides 200 ppm avl. chlorine.

If two tanks are used, use directions for the first and third tanks. Immerse glasses in sanitizer solution for the period of time required by health department. Remove and air dry. CAUTION: DO NOT TOWEL SANITIZED GLASSES OR OTHER ARTICLES. AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

Approved under the regulations of the Wisconsin State Board of Health.

EPA REG. NO. 5174-20

Rinse empty container thoroughly with water and discard it.

NET CONTENTS: 7 Ounce Container. Full when packed.

Contents will settle in shipment.