

DE VERE CHEMICAL COMPANY, INC.

1923 BELOIT AVENUE P.O. BOX 1076 JANESVILLE, WISCONSIN 53547 (608) 752-0576

SANI 111-

DIRECTIONS FOR USE

GENERAL CLASSIFCIATION - It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR CLEANING LIGHTLY SOILED AREAS - Surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of SANI KLEEN II per gallon of water. Rinse cleaned area with fresh water.

FOR CLEANING HEAVILY SOILED AREAS - Mop or brush soiled surface with a solution containing 2 to 3 ounces of SANI KLEEN II per gallon of water. Runse clean surface with fresh water.

GENERAL PURPOSE DISINFECTION - To disinfect walls, floors and other hard, non-porous surfaces in homes, schools, restaurants, restrooms and other public areas, mop or brush with a fresh solution containing 1 ounce of SAN! KLEEN II per 1 gallon of water so as to maintain thoroughly wetted surface for 10 minutes. All soiled surfaces must be precleaned prior to disinfection (follow directions for cleaning).

Do not reuse used solution.

To disinfect hard, non-porous surfaces in locker rooms, shower stalls, walkways around pools and other areas against pathogenic tungi, mop or brush with a tresh solution containing 3/4 cunce of SANI KLEEN II per gallon of water so as to maintain thoroughty wetted surface for 10 minutes. This solution will destroy Trichophyton interdigitate, a causative agent of athlete's foot. All soited surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Do not reuse used solution.

To disinfect toilet bowls, flush toilet then force the bowl water over the trap. Add directly to bowl water 2 ounces of SANI KLEEN II. Swab or scrub all surfaces thoroughly including under the rim, and allow to remain wet for at least ten minutes before flushing told?

HOSPITAL DISINFECTION - To disinfect walls, floors, furniture and other hard, non-porous surfaces in hospitals and nursing homes, mop or brush with a fresh solution containing 2 ounces of SANI KLEEN II per gallon of water so as to maintain thoroughly we'ted surface for 10 minutes. All soiled surfaces mus, be precleaned prior to disinfection (follow directions for cleaning). Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces of SANI KLEEN II per gallon of water, and then rinsed with a fresh solution containing 2 ounces of SANI KLEEN II per gallon of water and then rinsed with a fresh solution containing 2 ounces of SANI KLEEN II per gallon of water before disinfection. Do not reuse used solution. This product has not been tested for effectiveness against Mycobacterium tuberculosis and must not be relied upon when tuberculocidal activity is intended by the user.

DEODORIZATION - Prior to deodorization of bathroom areas, garbage pails, diaper pails, food storage areas, kennel areas and other areas where obnoxious odors may develop, remove all garbage, refuse, local ar ifor animals. Pre-clean surfaces using pressurized water where possible before deodorization. To deodorize, mop or brush surfaces thoroughly with a solution containing 2 ounces of SANI KLEEN II per gallon of water.

MOLD AND MILDEW CONTROL - To control mold and mildew on previously cleaned glass, metal, plastic, tile and other hard non-porous surfaces, moor brush with a fresh solution containing 2-1/2 ounces of SANI KLEEN II per gallon of water so as to thoroughly wel all surfaces. Allow to dry on surface. Repeat application weekly or when growth is visible. Do not reuse used solution.

SANITIZATION - To sanitize walls, floors and other hard non-porous, non-food contact surfaces in the presence of a moderate amount of organic soil, mop or brush with a solution containing 1/4 ounce of SANI KLEEN II per gallon of water so as to maintain (cont on other panet)



DE VERE CHEMICAL COMPANY, INC.

1923 BELOIT AVENUE P.O. BOX 1076 JANESVILLE, WISCONSIN 53547 (608) 752-0576


SANI REEN 11



DE VERE CHEMICAL CO., INC.

1923 BELOIT AVENUE

JANESVILLE, WISCONSIN 53547





DE VERE CHEMICAL COMPANY, INC.

1923 BELOIT AVENUE P.O. BOX 1076 JANESVILLE, WISCONSIN 53547 (608) 752-0576

SANI KLEEN 11

SANITIZATION (cont from other ganet)
thoroughly welled surface for five minutes. Those
surfaces that are heavily soited must be
precleaned prior to sanitization follow duections.

ACCEPTED

DEC 3 1 1986

Under the Fold oil lists of the Fungicide, and Red mirit. Not as amended, for the position registered under 5 11-22 EPA Reg. No.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited, if plastic, do not reuse empty container

DISPOSAL: Pesticide or rinsale that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in an incinerator), or dispose in landfill approved for pesticide containers or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

E.P.A. Reg. No. 5174-22

EPA Est. No. 5174-WI-1

NET CONTENTS: ONE GALLON

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
DANGER: CAUSES EYE DAMAGE
CAUSES SEVERE SKIN IRRITATION, ESPECIALLY
TO BROKEN SKIN
HARMFUL IF SWALLOWED

Do not get in eyes, on skin or on clothing Wear goggles or faceshield and rubber gloves when handling this product. Remove and wash contaminated ctothing Do not take internally

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES; Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.