1/3

AUG 1 4 1991

Blood Protection Ltd. c/o Mr. Paul Keane Keane and Associates 7 East Chestnut Street Chicago, Illinois 60611

Dear Mr. Keane:

Subject: Revised labeling

Fish Brand E Mosquito Coils

EPA File Symbol 5178-4


Submission dated July 15, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

- 1. Add the phrase "EPA Registration No. 5178-4" to the product label.
- 2. Submit a revised formula statement showing the certified limits for the active ingredient and supporting the label ingredient declaration of 0.2% d/l-allethrolone d-trans chrysanthemate (or revise the label to declare 0.13%).
- 3. Have your supplier submit directly to us the composition statements for Tabu powder.

Sincerely,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division



CAUTION:

KEEP OUT OF REACH OF CHILDREN See back panel for additional precautionary statements.

ACTIVE INGREDIENTS:


d/l-allethrolone d-trans
chrysanthemate
INERT INGREDIENTS

0.125% 99.875% 100.00%

CONTAINS: 10 COILS, 2 METAL STANDS

EPA Rcg. Not.

EPA Est. No: 5178-HK-1





PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION—For outdoor use only. Do not use indoors or in restaurants or in unventilated places. Cover exposed lood to avoid contamination. Do not place in direct contact with flammable objects, materials or surfaces. Avoid prolonged inhalation. Do not touch glowing end.

STORAGE & DISPOSAL:

DO NOT RE-USE EMPTY ENVELOPES. Wrap and place in trash collection. Oo not incinerate. Used stands, if kept for further use, must be stored out of reach of children and pets.

NOTE: It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

DIRECTIONS FOR USE


For best results—place one coil about every 8-10 feet around perimeter of area to be protected. Most effective in semi-confined outdoor sites such as porches or patios. Results and duration are affected by airflow and breeze. Save the stands for use with additional coils.



Gently flex and separate interlocked coils.



Bend tab straight up.



insert tab firmly into coil slot, ignite coil then blow out flame.

Made in Hong Kong by:

Blood Protection Ltd. 110-112 Austin Road