
ACCEPTED AUG 1995

Under the Federal Insecticide,
Fungicide, and Rodenic is iccl
Fungicide, and Rodenic is iccl
as amended for the gesticide
as a manufactured to the gesticide
and the gesticide and

FRONT PANEL



KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

ACTIVE INGREDIENTS: d'allethrolone d-trans chrysanthemate INERT INGREDIENTS


0.13% 99.87%


99.87% 00.00%

CONTAINS: 10 COILS, 2 METAL STANDS

EPA Reg. No. 5178-4

EPA Est. No. 5178-CI-1





PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION—For outdoor use only. Do not use indoors or in restaurants or in unventilated places. Cover exposed food to avoid contamination. Do not place in direct contact with firmmable objects, materials or surfaces. Avoid prolonged inhalation. Do not touch glowing end.

STORAGE & DISPOSAL:

DO NOT RE-USE EMPTY ENVELOPES. Wrap and place in trash collection. Do not incinerate. Used stands, if kept for further use, must be stored out of reach of children and pets.

NOTE: It is a violation of Federal taw to use this product in a manner inconsistent with its tabelling.

DIRECTIONS FOR USE


For best results—place one coit about every 8-10 feet around perimeter of area to be protected. Most effective in semi-confined outdoor sites such as porches or patios. Results and duration are affected by airflow and breeze. Save the stands for use with additional coils.



Gently flex and separate interlocked colis.



Behd tab straight up.



Insert tab firmly into coil slot. Ignite coil then blow out flame.

Made in China for: Blood Protection Co. (China) Ltd. 110-112 Austin Road Kowloon, Hong Kong