

label amendment
10-92

ACCEPTED
11 FEB 1993
Under the Federal Insecticide,
Fungicide, and Rodenticide
Act, as amended, and Executive Order
12761, registered under the pesticide
EPA Reg. No. 5178-5

FRONT & SIDE PANELS

KILMOS PF
MOSQUITO REPELLENT
COILS

CAUTION:
KEEP OUT OF REACH OF CHILDREN.
Do not use indoors or in restaurants.
See Additional Precautions on Rear Panel



KILMOS PF

PROVEN MOSQUITO REPELLENT COILS

DIRECTIONS
Separate coils gently. Use one coil at a time. Put it on a stand and light outer end. Mosquitoes will be repelled outdoors or on porches where there is little breeze stirring. See additional instructions on back panel and inside package.



Quick working
mosquito
repellent...
for greater
outdoor comfort.
use on
porch or covered
patio.

Net Weight: 4.23 ozs.

ACTIVE INGREDIENTS
D-cis, trans allethrin.....0.25%

INERT INGREDIENTS.....99.75%
100.00%

CONTAINS: 10 COILS, 1 METAL STAND

EPA Reg No: 5178-5 EPA Est. No: 5178-HK-1


5178-5

2-11-1993

1/3

label amendment 2/3
10-92

REAR PANEL



ADD TO OUTDOOR COMFORT... USE ON
PORCHES OR COVERED PATIOS...
QUICK ACTING...



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION—For outdoor use only. Do not use indoors or in restaurants or in unventilated places. Cover exposed food to avoid contamination. Do not place in direct contact with flammable objects, materials or surfaces. Avoid prolonged inhalation. Do not touch glowing end.

STORAGE & DISPOSAL:

DO NOT RE-USE EMPTY ENVELOPES. Wrap and place in trash collection. Do not incinerate. Used stands, if kept for further use, must be stored out of reach of children and pets.


DIRECTIONS FOR USE

NOTE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For best results—place one coil about every 8-10 feet around perimeter of area to be protected. Most effective in semi-confined outdoor sites such as porches or patios. Results and duration are affected by airflow and breeze. Save the stands for use with additional coils. See additional instructions inside for separating, installing and lighting coils. Place each coil to be used on stand provided. Light outer end of coil until glowing.

Made in Hong Kong by:

Blood Protection Ltd.
110-112 Austin Road
Kowloon Hong Kong



INSIDE
PACKAGE
INSTRUCTIONS

LABEL AMENDMENT
10-92

3/8




Do not open until ready for use.

Stand serves as a holder for the coil; pull center piece to the upright position.

Each set consists of two coils. Loosen outer ring of coils until ends move freely.

Grab each comma shape portion in the center between thumb and forefinger of each hand.



Separate the two comma shaped portions by gently pressing them in opposite directions 1/4 inch apart.

Hold one comma shaped end and shake lightly or gently pry to separate coils.

Insert tip of coil stand into slot in comma shaped end of coil.

Light outer end of coil until glowing. If it flames blow the flame out.



If shorter periods of use are desired, break coil into appropriate lengths and place in notched cut-out of holder.

KEEP OUT OF REACH OF CHILDREN

Made by: Blood Protection Co., Ltd.
110-112 Austin Road, Kowloon, Hong Kong