


FRONT PANEL



CAUTION
KEEP OUT OF THE REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

14 POINT
12 POINT
12 POINT

SIDE PANEL CONTINUED

BIO-GUARD S-3

DIRECTIONS FOR FARROWING HOUSE USE

CLEANING FARROWING PENS & STALLS: Hose down area to remove droppings, litter, etc. Brush-clean woodwork, drinkers, feeders and floor, using BIO-GUARD S-3 solution, 1/2 pint per 3-4 gallons water. Rinse with clear water and spray area with a fresh solution of the above concentration, wetting all surfaces, particularly those joints and crevices inaccessible to brush cleaning.

SHAMPOOING OF SOWS: Dilute BIO-GUARD S-3 - 2 ounces per gallon of water for washing sows after entering farrowing house and before entering sanitized farrowing stall. Hose down sows with clear water to remove loose soils. Scrub vigorously with a soft bristle brush and the BIO-GUARD S-3 solution. Use a fresh bucket of solution for each sow. Rinse thoroughly by hosing with clear water to remove the loosened soils and then spray lightly with a fresh solution of the above concentration, to provide residual bacteriostatic activity.

CAUTION: Avoid contact with food or food products. Avoid getting in eyes or on skin. In case of contact, wash thoroughly with water. If irritation persists, get medical attention. Harmful if swallowed.

USDA REG. NO. 5185-33

Net Contents: U.S. Gal.

ACCEPTED