
Bio-Guard SP-40

SWIMMING POOL ALGICIDE



ACTIVE INGREDIENTS:

A	lkenyl (C14 75%, C16 25%) dimethyl ethyl	
	ammonium bromide	. 40.00%
INERT	INGREDIENTS:	. 60.00%
		100.00%

DANGER

KEEP OUT OF REACH OF CHILDREN
(See back panel for additional precautions.)

BIO-LAB, INC.
Decatur, Georgia

Net Contents:

EPA Reg. No. 5185-46

This Algicide is formulated to complement swimming pool water being treated with normal chlorine systems. It is especially effective against growth of algae and, being non-volatile, aids in maintaining pool water clarity and sparkle. The residual effectiveness of Algicide tends to stabilize the total chemical treatment system.

This Algicide is compatible with all chemicals normally used in swimming pool maintenance; however, in its concentrated form this chemical should not come in contact with high concentrations of chlorine. DO NOT MIX ALGICIDE AND CHLORINE TOGETHER when adding to the pool. These chemicals should be handled separately. This algicide is economical, efficient and stable. It is non-corrosive and non-staining in use dilutions.

DIRECTIONS

For an initial application or when pool water is changed, use one quart per 25,000 gallons of water.

For maintenance, use one ounce per week per 5,000 gallons of water. After each rain of consequence, add one ounce per 5,000 gallons of water in addition to the above amounts. The appropriate amount of this Algicide should be added by pouring directly into the pool. More rapid distribution will be achieved by pouring a little of the specified amount into several areas of the pool. Recirculation or swimming activity will assure rapid dispersion.

DANGER!

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Rinse empty container thoroughly with water and discard it. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

TO DETERMINE POOL CAPACITY

Rectangular Pools—Length times width times average depth (in feet) times 7.5 equals gallons.

Round and Oval Pools—Long diameter times short diameter times average depth (in feet) times 5.9 equals gallons.