

Bio-Guard®

Super Soluble

ORGANIC

CHLORINE CONCENTRATE

E.P.A. REG. NO. 5185-54

ACTIVE INGREDIENTS:

Sodium dichloro-s-


triazinetriene 100.00%

(Available chlorine 62%)

BIO-LAB, INC., DECATUR, GEORGIA 30031

DANGER: KEEP OUT OF REACH OF CHILDREN

(See first aid statement & other precautions on back panel.)



When used as directed, this product is effective as a pool water disinfecting agent.



Bio-Guard®

Super Soluble

ORGANIC

CHLORINE CONCENTRATE

E.P.A. REG. NO. 5185-54

ACTIVE INGREDIENTS:

Sodium dichloro-

triazinetriene 100.00%
(Available chlorine 62%)

BIO-LAB, INC., DECATUR, GEORGIA 30031

DANGER: KEEP OUT OF REACH OF CHILDREN

(See first aid statement & other precautions on back panel.)

ACCEPTED
5185-54

DEC 17 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO.

When used as directed, this product is effective as a pool water disinfecting agent. The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add another dose of this product to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average daily dose requirement is 2 to 3 ounces of this product per 10,000 gallons of water.

The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance.

If a need for superchlorination is indicated, use 1 pound of this product per 10,000 gallons of water. Swimmers should not enter the pool until the available chlorine residual falls to 2.0 ppm.

DANGER

KEEP OUT OF REACH OF CHILDREN

Causes eye damage. Do not get in eyes. Avoid contact with skin. May produce chemical burns. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be fatal if swallowed!

FIRST AID: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.

INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

DANGER: Corrosive. Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame.

Rinse empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS: 20 LBS.

E.P.A. Est. No. 5185-0A-2

SS

When used as directed, this product is effective.
The filter system should be backwashed on
7-4 and 7-6.

It is recommended that the pool be stabilized
the dissipation effect of sunlight on chlorine.
trihydroxy triazine are being added to the water.
pools with 40-50 ppm of trihydroxy triazine
tion of stabilizer.

DIRE

Use 4 ounces of this product per 10,000
until a residual of 1.0 to 2.0 ppm of available
kit. A test kit must be used regularly to deter
of this product to maintain the residual of 1
water. An average daily dose requirement
gallons of water.

The use of a quaternary ammonium type
swimming pool maintenance.

If a need for superchlorination is indicated, u
of water. Swimmers should not enter the
2.0 ppm.

NET CONTENTS: 20 LBS

EPA Est. #