

Dec-13/1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND
RODENTICIDE ACT
EPA REG. NO. 5185-62

ACTIVE INGREDIENTS:

Potassium dichloro-s-triazinetrione.....15.0%

INERT INGREDIENTS:

Disodium phosphate, Monosodium
phosphate, Sodium Sulfate.....85.0%

DIRECTIONS

For use as a final spray for eggs, prepare a stock solution of one ounce per eight gallons of water. Maintain temperature of 110°-130° F, and a minimum of 10 ppms of Chlorine in effluent.

For use as a water sanitizer for poultry, swine and cattle, dilute one ounce per 400 gallons of water. Use a Chlorine test kit to adjust and maintain between 0.3 and 1.0 ppms in the drinker. The use of an automatic chlorinator is recommended.

BIO-LAB, INC.

P. O. BOX 1489
EPA Reg. No. 5185-62

DECATUR, GEORGIA



Net Contents _____

**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL WARNINGS**

**ACTIVE
Potassium**

**INERT I
Disodium
phosp**

For use
stock so
of water
F, and
effluent.

For use
and catt
water. I
maintain
drinker.
is recom

CAUTION
ucts. Avo
contact v
persists,
lowed.

ACTIVE INGREDIENTS:

Potassium dichloro-s-triazinetriene 15.0%

INERT INGREDIENTS:

Disodium phosphate, Monosodium phosphate, Sodium Sulfate 85.0%

DIRECTIONS

For use as a final spray for eggs, prepare a stock solution of one ounce per eight gallons of water. Maintain temperature of 110°-130° F, and a minimum of 10 ppms of Chlorine in effluent.

For use as a water sanitizer for poultry, swine and cattle, dilute one ounce per 400 gallons of water. Use a Chlorine test kit to adjust and maintain between 0.3 and 1.0 ppms in the drinker. The use of an automatic chlorinator is recommended.

BIO-LAB, INC.

P. O. BOX 1489
EPA Reg. No. 5185-62

DECATUR, GEORGIA



**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL WARNINGS**

ACTIVE
Potassium

INERT I
Disodium
phosph

For use
stock sol
of water
F, and a
effluent.


For use c
and cattl
water. U
maintain
drinker.
is recom

CAUTION
ucts. Avoi
contact w
persists, g
lowed.

Dec-13/1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR ECONOMIC POLYMER REGISTERED

5185-67



**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL WARNINGS**

ACTIVE INGREDIENTS:

Potassium dichloro-s-triazotriene.....15.0%

INERT INGREDIENTS:

Dibasic phosphate, Mannitol
phosphate, Sodium Sulfate.....85.0%

DIRECTIONS

For use as a final spray for eggs, prepare a stock solution of one ounce per eight gallons of water. Maintain temperature of 110°-130° F, and a minimum of 10 ppm of Chlorine in effluent.

For use as a water sanitizer for poultry, swine and cattle, dilute one ounce per 400 gallons of water. Use a Chlorine test kit to adjust and maintain between 0.3 and 1.0 ppm in the drinker. The use of an automatic chlorinator is recommended.

CAUTION! Avoid contact with food or food products. Avoid getting in eyes or on skin. In case of contact wash thoroughly with water. If irritation persists, get medical attention. Harmful if swallowed.

.....15.0%

.....15.0%

prepare a
eight gallons
110°-130°
Chlorine in

poultry, swine
gallons of
adjust and
ppms in the
chlorinator

GEORGIA

ACCEPTED
 Dec 13/1971
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND
 ROUEICIDAL ACT
 FOR ECONOMIC INSECT ABATEMENT
 5185-62

ACTIVE INGREDIENTS:
 Potassium dichloro-s-triazinetrione.....15.0%

INERT INGREDIENTS:
 Sodium phosphate, Monosodium
 phosphate, Sodium Sulfate.....85.0%

DIRECTIONS
 For use as a final spray for eggs, prepare a
 stock solution of one ounce per eight gallons
 of water. Maintain temperature of 110°-130°
 F, and a minimum of 10 ppm of Chlorine in
 effluent.

For use as a water sanitizer for poultry, swine
 and cattle, dilute one ounce per 400 gallons of
 water. Use a Chlorine test kit to adjust and
 maintain between 0.3 and 1.0 ppm in the
 drinker. The use of an automatic chlorinator
 is recommended.

BIO-LAB, INC.
 P. O. BOX 1489 DECATUR, GEORGIA
 EPA Reg. No. 5185-62



ACTIVE INGREDIENTS:
 Potassium dichloro-s-triazinetrione.....15.0%

INERT INGREDIENTS:
 Sodium phosphate, Monosodium
 phosphate, Sodium Sulfate.....85.0%


DIRECTIONS
 For use as a final spray for eggs, prepare a
 stock solution of one ounce per eight gallons
 of water. Maintain temperature of 110°-130°
 F, and a minimum of 10 ppm of Chlorine in
 effluent.

For use as a water sanitizer for poultry, swine
 and cattle, dilute one ounce per 400 gallons of
 water. Use a Chlorine test kit to adjust and
 maintain between 0.3 and 1.0 ppm in the
 drinker. The use of an automatic chlorinator
 is recommended.

CAUTION! Avoid contact with
 skin. Avoid getting in eyes.
 Contact with thoroughly
 washed, get medical attention
 if needed.

Net Contents
CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL WARNINGS

ACCEPTED
 Dec-13/1971
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PESTICIDE REGISTRATION
 UNDER THE NO. 5785-62



Net Contents _____

**CAUTION: KEEP OUT OF REACH OF CHILDREN
 SEE BACK PANEL FOR ADDITIONAL WARNINGS**



ACTIVE INGREDIENTS:
 Potassium dichloro-s-triazinotriene.....15.0%

INERT INGREDIENTS:
 Dicalcium phosphate, Monocalcium
 phosphate, Sodium Sulfate.....85.0%

DIRECTIONS

For use as a final spray for eggs, prepare a stock solution of one ounce per eight gallons of water. Maintain temperature of 110°-130° F, and a minimum of 10 ppm of Chlorine in effluent.

For use as a water sanitizer for poultry, swine and cattle, dilute one ounce per 400 gallons of water. Use a Chlorine test kit to adjust and maintain between 0.3 and 1.0 ppm in the drinker. The use of an automatic chlorinator is recommended.

CAUTION! Avoid contact with food or food products. Avoid getting in eyes or on skin. In case of contact wash thoroughly with water. If irritation persists, get medical attention. Harmful if swallowed.

20