


ACCEPTED
 JUL 28 1966
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND ROSSICIDES ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 5185-66



Bio-Guard®

E.P.A. REG. NO. 5185-66

60 Minus

ORGANIC CHLORINE CONCENTRATE

ACTIVE INGREDIENTS: (available chlorine 60%)	
Trichloro-s-triazinetrione	66.52%
INERT INGREDIENTS:	33.48%
Total Ingredients	100.00%

DANGER: KEEP OUT OF REACH OF CHILDREN
 (See first aid statement & other precautions on back panel)

BIO-LAB, INC., DECATUR, GEORGIA 30031



NOT RECOMMENDED FOR VINYL LINED POOLS OR HYPOCHLORINATORS.

NOT RECOMMENDED FOR VINYL LINED POOLS OR HYPOCHLORINATORS.

When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add more of the chlorine concentrate to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average is 2-3 ounces of this product per 10,000 gallons of water daily.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May cause burns on moist or broken skin. Do not get in eyes, on skin or on clothing. Protect eyes when handling. Dust may be irritating if inhaled. Avoid breathing dust. May be fatal or harmful if swallowed. Wash hands after handling.

FIRST AID:

EXTERNAL: In case of contact, immediately flush eyes or skin with water for at least 15 minutes. For eyes, get medical attention.

INTERNAL: Feed bread soaked in milk, followed by dilute milk or water.

DANGER: Oxidizing material. Contact with heat, moisture, or flame may cause fire. Will burn with the evolution of irritating and noxious gases. Store in a cool, dry place. Keep away from heat or open flame. Keep empty container from being refilled. Discard it.

NET CONTENTS: 20 LBS.

E.P.A. Est. No. 5185 GA 2

0100

ACCEPTED
JUL 19
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDIC ACT
FOR ECONOMIC POISON REGISTE-
RED UNDER NO. 5185-68

Bio-Guard

E.P.A. REG. NO. 5185-68

60 Minus ORGANIC CHLORINE CONCENTRATE

ACTIVE INGREDIENTS: (available chlorine 60%)	
Trichloro-s-triazinone	56.92%
INERT INGREDIENTS:	33.48%
Total Ingredients	100.00%

DANGER: KEEP OUT OF REACH OF CHILDREN
(See first aid statement & other precautions on back panel)

BIO-LAB, INC., DECATUR, GEORGIA 30031

NOT RECOMMENDED FOR VINYL LINED POOLS OR HYPOCHLORINATORS.

When used as directed, this product is effective as a pool water disinfecting agent. The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add more of the chlorine concentrate to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average is 2-3 ounces of this product per 10,000 gallons of water daily.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May cause burns on moist or broken skin. Do not get in eyes, on skin or on clothing. Protect eyes when handling. Dust may be irritating or harmful if inhaled. Avoid breathing dust. May be fatal or harmful if swallowed. Wash hands thoroughly after handling.

FIRST AID:

EXTERNAL: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get medical attention.

INTERNAL: Feed bread soaked in milk, followed by olive oil or cooking oil.

DANGER: Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame. Rinse empty container thoroughly with water and discard it.

NET CONTENTS: 20 LBS.

EPA Est. No. 5185-GA-2

OCC

171