

5185-70 1 of 2

BIO-SEC 242

ACTIVE INGREDIENTS:		100.00%
Pyrethrins	0.15%	
Technical Piperonyl Butoxide*	0.3 %	
N-octyl bicycloheptene dicarboximide	0.5%	
Petroleum distillate	99.05%	

*Equivalent to 0.24% (Butylcarbityl) (6-propyl-piperonyl) ether and 0.06% related compounds.

BIO-SEC 242 INDUSTRIAL INSECTICIDE FOR CONTROL OF FLIES AND MANY OTHER COMMON INSECT PESTS IN INDUSTRY.

BIO-SEC 242 INDUSTRIAL INSECTICIDE IS AN EFFECTIVE INSECTICIDE FOR RAPID CONTROL OF FLIES AND MANY OTHER COMMON INSECT PESTS FOUND IN INDUSTRY. IT CAN BE USED AROUND FOOD, FOOD PRODUCTS AND UTENSILS, WITHOUT DANGER OF CONTAMINATION, BUT SHOULD NOT BE APPLIED DIRECTLY TO UNCOVERED FOOD OR FOODSTUFFS.

DIRECTIONS

Bio-Sec 242 INDUSTRIAL INSECTICIDE KILLS ON CONTACT THE EXPOSED STAGES OF FLIES, MOSQUITOES, GNATS, SILVERFISH, ROACHES, CRICKETS, SPIDERS, SCORPIONS, WASPS, HORNETS, FLYING MOTHS, BOXELDER BUGS, CLOVER MITES AND ANTS.

FOR BEST RESULTS, USE IN A GOOD SPRAY OR ATOMIZER ADJUSTED TO DELIVER A FINE MIST. TREAT INFESTED AREAS THOROUGHLY AND REPEAT APPLICATIONS AS NEEDED. WHENEVER POSSIBLE KEEP DOORS AND WINDOWS CLOSED FOR 10 MINUTES AFTER SPRAYING.

IN THE CONTROL OF FLYING INSECTS, DIRECT THE SPRAY TOWARD THE UPPER PORTIONS OF THE ENCLOSURE AND FILL THE ATMOSPHERE WITH MIST, USING 2-3 OUNCES OF INSECTICIDE TO EACH 100 CUBIC FEET OF SPACE. AGAINST RUNNING AND CRAWLING PESTS, TREAT ALL AREAS WHERE THESE INSECTS ARE COMMONLY FOUND, AND DIRECT THE LIQUID BEHIND BASEBOARDS, MOULDINGS, EQUIPMENT, CABINETS, SHELVES, SINKS, PIPES, TOWARD DRAINS AND DARK CORNERS, AND INTO CRACKS, CREVICES, RECESSES AND SIMILAR HIDING PLACES.

ACCEPTED

MAY 18 1967

U.S. DEPARTMENT OF AGRICULTURE
 FEDERAL REGISTER
 5185-70
 SUBJECT

[5185-70] 2 of 2

BIO-SEC 242

For thermal fogging equipment, move equipment two or three times during application to assure best coverage. Apply liberally at a rate of one gallon per 50,000 cubic feet. This method will control exposed stages of grain weevils, cadelles, flour beetles, grain mites, grain moths, and exposed roaches.

For flying insects such as flies, mosquitoes, and gnats, use 1 gallon per 100,000 cubic feet.

CAUTION 14 POINT
KEEP OUT OF THE REACH OF CHILDREN 12 POINT

This insecticide is an oil base material and should not be stored, sprayed or otherwise exposed toward or near an open flame. Harmful if swallowed.

When used in food processing plants, use only when plant is not in operation. Remove foods or cover during treatment. All food processing surfaces should be covered.

Cover or remove aquaria in areas to be treated.

MANUFACTURED BY:

BIO-LAB, INC.
P. O. BOX 1489
DECATUR, GEORGIA

USDA REG. NO. 5185-70

NET CONTENTS:

ACQUITTANCE
5-18-67
5185-70