



When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned. The pH should be between 7.3 and 7.8, adjusting if necessary.

It is recommended that initial users of this product first stabilize pool water with 20-30 ppm trichloro-s-triazine. A preferred treatment would be 25-30 ppm. This will stabilize pool water against the effects of sunlight on chlorine.

If there is no initial stabilization with trichloro-s-triazine, a period of 3-4 weeks treatment with this organic pool chlorine concentrate will gradually develop the desired level. When using this product, both chlorine and trichloro-s-triazine are being added to the water.

In addition to the normally recommended amounts of chlorine, most pools require extra dosages periodically which are referred to as superchlorination. This is recommended weekly and the amount is approximately four times the daily dosage. Application should be after twilight hours and when the pool is not in use. Superchlorination should not exceed 3 ppm available chlorine.

#### INITIAL STABILIZATION

If there is an initial stabilization with trichloro-s-triazine, use 3 ounces pool chlorine concentrate per 10,000 gallons water or a sufficient amount to establish a chlorine residual of 1.5 to 3.0 ppm as determined by a chlorine test kit. Through regular use of a test kit, adjust to maintain pool water at 1.5 to 3.0 ppm of available chlorine. There will be a rapid reduction in the required amounts of chlorine, if the pool has been properly prestabilized.

If there is no initial stabilization, use 3-4 ounces pool chlorine concentrate daily per 10,000 gallons water. In 3-4 weeks, the pool will become stabilized. Through regular use of a test kit, adjustment should be made in the amount added to maintain the pool at 1.5 to 3.0 ppm of available chlorine.

Using either of the above methods, superchlorination is recommended weekly. The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance.

To superchlorinate the pool, use approximately 10 ounces pool chlorine concentrate per 10,000 gallons water.



POISON



0%  
0%  
0%  
WARNING: Call a physician.

FOR SKIN: For skin and eyes, immediately flood with large amounts of water.

FOR INGESTION: Take large amounts of milk, followed by olive oil or cooking oil.

WARNING: Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases.

Store in a cool dry place. Keep away from heat or open flame. Avoid contact with skin and eyes. Avoid breathing dust. DO NOT TAKE INTERNALLY!

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

ORGANIC POOL CHLORINE CONCENTRATE

Net Weight

Net Weight

Cameraman's Note

Poor Copy