



WARNING: KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL WARNINGS

NET WEIGHT _____ LBS.

U.S.D.A. REG. NO. 5185-80

ACTIVE INGREDIENTS:	
Trichloro-s-triazinetriene	68.52%
(Available Chlorine 60%)	
INERT INGREDIENTS:	
	33.48%
TOTAL INGREDIENTS	
	100.00%

When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned. The pH should be between 7.4 and 7.6 adjusting if necessary.

It is recommended that initial users of this product first stabilize pool water with 30 ppm Trihydroxy triazine. This will stabilize water against the dissipation effect of sunlight on chlorine.

If there is no initial stabilization with Trihydroxy triazine, a period of 3-4 weeks' treatment with BIO-GUARD CHLORINE CONCENTRATE NO. 66 will gradually develop the desired level. When using this product, both chlorine and Trihydroxy triazine are being added to the water.

In addition to the normally recommended amounts of chlorine most pools require extra dosages periodically, which are referred to as

superchlorination. Approximately four made after sunlight chlorination should

If there is an initial BIO-GUARD CONCE Through regular use pool water at 1.0-1.5 reduction in the properly prestabl

If there is no initial RINE CONCENTRAT weeks the pool wi kit, adjustment sh pool at 1.0-1.5 pp

Using either of the weekly. The use of ment this total pr Maintain pool wat




POISON

ANTIDOTE: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water. For eyes get medical attention.

INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

WARNING!
foreign material
irritation and ho
Store in a cool
contact with skin
INTERNALLY! Ho
in use.
Do not reuse em
burning. Stay a



ACTIVE INGREDIENTS:

Trichloro-s-triazinetriene 66.52%
(Available Chlorine 60%)

INERT INGREDIENTS:

33.48%

TOTAL INGREDIENTS

100.00%

When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned. The pH should be between 7.4 and 7.6 adjusting if necessary.

It is recommended that initial users of this product first stabilize pool water with 30 ppm Trihydroxy triazine. This will stabilize water against the dissipation effect of sunlight on chlorine.

If there is no initial stabilization with Trihydroxy triazine, a period of 3-4 weeks' treatment with BIO-GUARD CHLORINE CONCENTRATE NO. 66 will gradually develop the desired level. When using this product, both chlorine and Trihydroxy triazine are being added to the water.

In addition to the normally recommended amounts of chlorine most pools require extra dosages periodically, which are referred to as

superchlorination. This is recommended weekly and the amount is approximately four times the daily dosage. Application should be made after sunlight hours and when the pool is not in use. Superchlorination should not exceed 8 ppm available chlorine.

DIRECTIONS

If there is an initial stabilization with Trihydroxy triazine, use 3 ounces BIO-GUARD CONCENTRATE NO. 66 per 10,000 gallons of water. Through regular use of a test kit, adjust amount added to maintain pool water at 1.0-1.5 ppm of residual chlorine. There will be a rapid reduction in the required amounts of chlorine, if the pool has been properly prestabilized.

If there is no initial stabilization, use 3-4 ounces of BIO-GUARD CHLORINE CONCENTRATE NO. 66 daily per 10,000 gallons water. In 3-4 weeks the pool will become stabilized. Through regular use of a test kit, adjustment should be made in the amount added to maintain the pool at 1.0-1.5 ppm of residual chlorine.

Using either of the above methods, super-chlorination is recommended weekly. The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance. Maintain pool water total alkalinity between 80 and 120 ppm.

**POISON**

ANTIDOTE: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water. For eyes get medical attention.

INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

WARNING! Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritation and hazardous gases.

Store in a cool dry place. Keep away from heat or open flame. Avoid contact with skin and eyes. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** Harmful if swallowed. Keep container closed when not in use.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

U.S.D.A. REG. NO. 5185-90
NET WEIGHT _____ LBS.

ACCEPTED

JUN 2 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
E.P. NO. 5185-90

12-50-04

44-0007