START-UP TREATMENT

ACTIVE INGREDIENT:

35.25% Potassium dichloro-s-triazinertrione

INERT INGREDIENTS: 64.75%

Total Ingredients


*Available chlorine 20.8%

WARNING

KEEP OUT OF REACH OF CHILDREN (See back panel for additional precautions)

SOLD BY:

BIO-LAB, INC. DECATUR, GEORGIA



This product is formulated as an initial chemical treatment for swimming pool water. When used as directed, it supplies adequate available chlorine to satisfy the initial demand in pool water from plant purification sources, and also supplies 50 parts per million of trihydroxytriazine (chlorine stabilizer). It also contains a buffering agent to aid in the control of pool water, and a sequestering agent to aid in the prevention of precipitation of salts of metallic ions

DIRECTIONS

Backwash the filter system before adding this product to the pool. Establish a pool water pH of between 7.4 and 7.6. Then add one bag (3-1/2 lbs.) of this product per 5,000 gallons of water. Add chemical at night, applying through the skimmer. Maintain pool water circulation continuously.

When the chemical reaches the filter system, there may be a temporary increase in filter pressure, which will dissipate as the chemical is dissolved. Do not backwash the filter for 24 hours after application of this chemical.

There will be an initial high chlorine reading and the pool should not be used until residual chlorine is established at a normal level of 1.0 to 3.0 parts per million as determined by the use of a chlorine test kit.

Test the pool water frequently and add chlorine as required to maintain a residual of 1.0 to 3.0 parts per million.



ANTIDOTE: Call a physician.

External: For skin and eyes, immediately flood with large amounts of water. For eyes, get medical attention.

Internal: Take large amounts of milk, followed by olive oil or cooking oil.

WARNING: Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases.

Harmful if swallowed. Keep container closed when not in use. Store in a cool dry place. Protect from moisture contamination. Keep away from heat or open flame.

Avoid contact with skin and eyes. Avoid breathing dust. DO NOT TAKE INTERNALLY!

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

U.S.D.A. Reg. No. 5185-92

Net Weight: 3-1/2 Iberth

U.S.D.A. Reg. No. 5185-92

Net Weight: 3-1/2 lbs.

100.00%

WITH COMMENTS

ACCEPTED

POOL START-UP TREATMENT

ACTIVE INGREDIENT: Potassium dichloro-s-triazinertrione 35.25% INERT INGREDIENTS: 64,75% **Total Ingredients** 100,00%

*Available chlorine 20.8%

WARNING

* KEEP OUT OF REACH OF CHILDREN (See back panel for additional precautions)

SOLD BY:

BIO-LAB, INC. DECATUR, GEORGIA

Net Weight: 3-1/2 lbs.

This product is formulated as an initial chemical treatment for swimming pool water. When used as directed, it supplies adequate available chlorine to satisfy the initial demand in pool water from plant purification sources, and also supplies 50 parts per million of trihydroxytriazine (chlories statisfy). It also contains a buffering agent to aid in the control of pool water, and a sequestering agent to aid in the prevention of precipitation of salts of metallic

DIRECTIONS

Backwash the filter system before adding this product to the pool. Establish a pool water pH of between 7.4 and 7.6. Then add one bag (3-1/2 lbs.) of this product per 5,000 gallons of water. Add chemical at night, applying through the skimmer. Maintain pool water circulation continuously.

When the chemical reaches the filter system, there may be a temporary increase in filter pressure, which will dissipate as the chemical is dissolved. Do not backwash the filter for 24 hours after application of this chemical.

There will be an initial high chlorine reading and the pool should not be used until residual chlorine is established at a normal level of 1.0 to 3.0 parts per million as determined by the use of a chlorine test kit.

Test the pool water frequently and add chlorine as required to maintain a residual of 1.0 to 3.0 parts per million.



ANTIDOTE: Call a physician.

External: For skin and eyes, immediately flood with large amounts of water. For eyes, get medical atten-

Internal: Take large amounts of milk, followed by olive oil or cooking oil.

WARNING: Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases.

Harmful if swallowed. Keep container closed when not in use. Store in a cool dry place. Protect from moisture contamination. Keep away from heat or open flame.

Avoid contact with skin and eyes. Avoid breathing dust. DO NOT TAKE INTERNALLY!

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

U.S.D.A. Reg. No. 5185-92