


5185-100

12/22/1965
FRONT PANEL

106 1/3

BIO-GUARD NO. 90 CHLORINE CONCENTRATE



ACCEPTED

DEC 22 1965

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. ~~5185-100~~ SUBJECT
TO ATTACHED COMMENTS.

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR OTHER CAUTIONS

14 POINT TYPE
10 POINT TYPE
10 POINT TYPE

107 2/3

BIO-GUARD NO. 90 CHLORINE CONCENTRATE

ACTIVE INGREDIENT:

TRICHLORO-S-TRIAZINETRIONE 100%
(AVAILABLE CHLORINE 90.2%)

WHEN USED AS DIRECTED THIS PRODUCT IS EFFECTIVE AS A POOL WATER DISINFECTING AGENT.

THE FILTER SYSTEM SHOULD BE BACKWASHED OR PROPERLY CLEANED AND THE PH ADJUSTED BETWEEN 7.2 AND 7.6.

IT IS RECOMMENDED THAT THE POOL BE STABILIZED WITH 50-60 PPMS TRIHYDROXY TRIAZINE TO NULLIFY THE DISSIPATION EFFECT OF SUNLIGHT ON CHLORINE. WHEN USING THIS PRODUCT, BOTH CHLORINE AND TRIHYDROXY TRIAZINE ARE BEING ADDED TO THE WATER, HOWEVER, IT IS NECESSARY TO INITIALLY STABILIZE POOLS WITH 50-60 PPMS OF TRIHYDROXY TRIAZINE TO EFFECTIVELY MAINTAIN THE DESIRED CONCENTRATION OF STABILIZER.


DIRECTIONS

USE THREE OUNCES OF POOL CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER AS AN INITIAL TREATMENT. REPEAT DAILY UNTIL A RESIDUAL OF 1.0 TO 3.0 PPMS OF AVAILABLE CHLORINE IS ESTABLISHED. THE REGULAR USE OF A TEST KIT WILL DETERMINE THE AMOUNT OF CHLORINE NECESSARY FOR MAINTAINING 1.0 TO 3.0 PPMS. AN AVERAGE IS 2-3 OUNCES OF THIS CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER DAILY. THE FINAL DEMAND FOR CHLORINE IS TO BE ESTABLISHED THROUGH USE OF A TEST KIT AND DAILY TREATMENT ADJUSTED ACCORDINGLY.

IF A NEED FOR SUPERCHLORINATION IS INDICATED, USE 12 OUNCES OF THIS CONCENTRATE PER 10,000 GALLONS OF WATER.

USDA REG. NO. 5185-X

NET WEIGHT



SIDE PANEL

108 3/3

BIO-GUARD NO. 90 CHLORINE CONCENTRATE



POISON



ANTIDOTE: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.

INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

KEEP OUT OF THE REACH OF CHILDREN

WARNING! OXIDIZING MATERIAL. CONTACT WITH HEAT, MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE. WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES.

Store in a cool dry place. Keep away from heat or open flame. Avoid contact with skin and eyes. Avoid breathing dust. **DO NOT TAKE INTERNALLY!**

Because this is a concentrated product, it is required by law to be labeled "POISON". The recommended dilutions are not classified as poisonous.

TRICHLORO-s-TRIAZINETRIONE

5185-100

ACCEPTED
Dec 22 1965
U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF THE FEDERAL INSECTICIDE
PROGRAM MANAGER
FOR ECONOMIC POISON REGISTERED
UNDER NO. _____ SUBJECT
TO ATTACHED COMMENTS.