



Bio-Guard[®]

No. 90

CHLORINE CONCENTRATE

ACTIVE INGREDIENT:

Trichloro-s-triazinetriene 100%
(Available Chlorine 90.2%)

E.P.A. Reg. No. 5185-100

BIO-LAB, INC., DECATUR, GEORGIA 30031

DANGER: KEEP OUT OF REACH OF CHILDREN
(See first aid statement & other precautions on back panel.)

NOT RECOMMENDED FOR VINYL LINED POOLS OR HYPOCHLORINATORS.

ACCEPTED
JUL 2 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 5185-100

When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration.

DANGER: KEEP OUT OF REACH OF CHILDREN
(See first aid statement & other precautions on back panel.)

NOT RECOMMENDED FOR VINYL LINED POOLS OR HYPOCHLORINATORS.

When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

- It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

Use 3 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add another dose of this product to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average is 2 to 3 ounces of this product per 10,000 gallons of water daily.

DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes. Avoid contact with skin. May produce chemical burns. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be fatal if swallowed!

FIRST AID: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.

INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

DANGER: Corrosive. Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame.

Rinse empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS: 20 LBS.
E.P.A. Est. No. 5185-GA.-2

S90



Bio-Guard[®]

No. 90

CHLORINE CONCENTRATE

ACTIVE INGREDIENT:
Trichloro-s-triazinetrione 100%
(Available Chlorine 90.2%)

E.P.A. Reg. No. 5185-100

BIO-LAB, INC., DECATUR, GEORGIA 30031

DANGER: KEEP OUT OF REACH OF CHILDREN
(See first aid statement & other precautions on back panel.)

ACCEPTED

JUL 2 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBOTICIDE ACT
FOR ECONOMIC PEST CONTROL
ED UNDER NO. 5185-100

NOT RECOMMENDED FOR VINYL LINED POOLS OR HYPOCHLORINATORS.

When used as directed, this product is effective as a pool water disinfecting agent. The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6. It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

Use 3 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add another dose of this product to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average is 2 to 3 ounces of this product per 10,000 gallons of water daily.

**DANGER
KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes eye damage. Do not get in eyes. Avoid contact with skin. May produce chemical burns. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be fatal if swallowed!

FIRST AID: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.

INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

DANGER: Corrosive. Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame.

Rinse empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS: 20 LBS.
E.P.A. Est. No. 5185-GA-2

S90