

## BESTALL Germicidal Detergent

ACTIVE INGREDIENTS: Isopropanol, 11.0%; Triethanolamine dodecylbenzene sulfonate, 7.0%; o-benzyl-p-chlorophenol, 3.0%; 4 & 6-chloro-2-phenylphenol, 3.0%; p-tertiary amyl phenol, 1.0%; Ethylenediamine tetraacetic acid tetrasodium salt, 0.4%; 2,2-methylenebis (3,4,6-trichlorophenol), 0.1% Total Active Ingredients 25.5%

INERT INGREDIENTS:

74.5%

## WARNING: KEEP OUT OF REACH OF CHILDREN.

BESTALL is a concentrate and should be diluted with water before use.

FOR CLEANING AND DISINFECTION OF POULTRY HATCHERIES, POULTRY HOUSES, PIG PARLORS AND RELATED EQUIPMENT: Remove all poultry or livestock from houses, coops or crates to be treated. Remove all possible soils (litter, feces, feathers, cobwebs, dust) by brushing, sweeping and dusting. Use a solution containing 2-3 OUNCES OF BESTALL PER GALLON OF WATER to scrub and wash down all accessible surfaces. Flush away all loosened soil accumulations. Saturate all surfaces with the disinfecting solution.

Ventilate coops and other closed spaces. Let treatment become absorbed and thoroughly dried before rehousing poultry or livestock or before using equipment.

All feeding and watering equipment must be thoroughly scrubbed with detergent and rinsed with potable water before reuse.

FOR GENERAL DISINFECTION IN POULTRY HATCHERIES: Use in rooms, incubators, equipment and furnishings. Thoroughly clean surfaces to be disinfected. After cleaning, thoroughly wet all surfaces with a solution of 2 ounces Bestall per gallon of water.

WARNING: Avoid direct contact with food or food products. Harmful if swallowed. May cause severe skin irritation or eye damage. For eyes, flush thoroughly with water and get immediate medical attention. For skin, wash thoroughly with water. If irritation persists, get medical attention. Rinse empty container thoroughly with water and discard it.

MANUFACTURED BY:

BIO LAB, INC.

DZCATUR, GA.

E.P.A. Reg. No. 5185-106

ACCEPTED WITH COMMENTS