



ACCEPTED
5185-114

Bio-Guard®

Status Quo

E.P.A. REG. NO. 5185-114AA

Chlorine Cartridges

ACTIVE INGREDIENT

Trichloro-s-triazine

100.0%

Available chlorine 89%

DANGER: KEEP OUT OF REACH OF CHILDREN

(See first aid statement & other precautions on back panel.)

BIO-LAB, INC., DECATUR, GEORGIA 30031



When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the pool. To avoid this, you may try to initially stabilize pools with 40-50 ppm of trihydroxy triazine alone. After 24 hours, maintain the desired concentration of stabilizer.

(See first aid statement & other precautions on back panel.)

BIO-LAB, INC., DECATUR, GEORGIA 30031



When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

The pool should first be chlorinated so that a chlorine residual of between 1.0 and 3.0 ppm is obtained as determined by a test kit. Superchlorination may be achieved using Burn Out per label directions. Do not allow swimmers to enter pool until the available chlorine residual falls to 2.0 ppm.

Adjust whatever proportioning mechanism that might be used to assure a constant treatment level of 1.0-2.0 ppm available chlorine in the pool water (normally 1-2 ounces of this product per 10,000 gallons daily.)

The regular use of a test kit will determine if further adjustments may be necessary to maintain the recommended level of available chlorine in the pool water.

DANGER

Caution: This product is highly corrosive. Avoid contact with skin and eyes.

First Aid: If in contact with skin, wash immediately with large amounts of water.

Get medical attention if necessary.

Keep out of reach of children.

Do not use in swimming pools.

Do not use in hot tubs.

Do not use in spas.

Do not use in fountains.

Do not use in ponds.

Do not use in lakes.

ACCEPTED
5185-114
JUN 15 1976
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC TOXIC SUBSTANCES
LISTED UNDER NO.

Bio-Guard

Status Quo EPA REG NO. 5185-114AA

Chlorine Cartridges

ACTIVE INGREDIENT
Trichloro-s-triazine
Available chlorine 89%

100.0%

DANGER: KEEP OUT OF REACH OF CHILDREN
(See first aid statement & other precautions on back panel.)

BIO-LAB, INC., DECATUR, GEORGIA 30031

When used as directed, this product is effective as a pool water disinfecting agent. The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

The pool should first be chlorinated so that a chlorine residual of between 1.0 and 3.0 ppm is obtained as determined by a test kit. Superchlorination may be achieved using Burn Out per label directions. Do not allow swimmers to enter pool until the available chlorine residual falls to 2.0 ppm.

Adjust whatever proportioning mechanism that might be used to assure a constant treatment level of 1.0-2.0 ppm available chlorine in the pool water (normally 1-2 ounces of this product per 10,000 gallons daily.)

The regular use of a test kit will determine if further adjustments may be necessary to maintain the recommended level of available chlorine in the pool water.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes. Avoid contact with skin. May produce chemical burns. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be fatal if swallowed.
FIRST AID: Call a physician.

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.

INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

DANGER: Corrosive. Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame.

Rinse empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS: 20 LBS.
E.P.A. Est. No. 5185-GA-2

CC