

**WARNING:**

**KEEP OUT OF THE REACH OF CHILDREN**

**OXIDIZING MATERIAL.** CONTACT WITH HEAT, MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE. WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES. STORE IN A COOL DRY PLACE. KEEP AWAY FROM HEAT OR OPEN FLAME.

Avoid contact with skin and eyes. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be harmful if swallowed. May cause eye irritation. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

**ANTIDOTE:** Call a physician.

**EXTERNAL:** For skin and eyes, immediately flood with large amounts of water.

**INTERNAL:** Take large amounts of milk, followed by olive oil or cooking oil.



<b>ACTIVE INGREDIENT:</b>	
Sodium dichloro-s-triazinetriene .....	30.00%
<b>INERT INGREDIENTS:</b>	
Disodium phosphate, Sodium sulfate.	
Monosodium phosphate .....	70.00%
Available Chlorine - 18.00%	
<b>TOTAL INGREDIENTS</b>	<b>100.00%</b>

**WARNING KEEP OUT OF REACH OF CHILDREN**  
See other precautions on side panel.

**DIRECTIONS**

**EGG SANITIZING:** For use as a final sanitizing spray after washing eggs, prepare a spray solution by adding one ounce BIO-SHIELD CL-600 per 14 gallons of water. Maintain temperature of 110-130 degrees F.

**GENERAL SANITIZATION:** Use on walls, floors, tables, sinks and any furnishings not damaged by water. Prepare a solution containing 1 ounce of BIO-SHIELD CL-600 per 7 gallons of water. Apply in a wetting concentration. Rinse any treated food contact surfaces with potable water before reuse.

**FOOD PROCESSING AND BEVERAGE EQUIPMENT:** For sanitizing equipment that has been previously cleaned, use a solution containing one ounce of BIO-SHIELD CL-600 per 14 gallons of water. Apply in a wetting concentration. Where local or state ordinances are in effect, follow the required procedures.

Manufactured By:  
**BIO-LAB, INC.**  
P. O. BOX 1389  
DECATUR, GEORGIA 30031

EPA REG. NO. 5185-116

NET WEIGHT

RECEIVED  
June 28-1973 5185-116

# WARNING:

KEEP OUT OF THE REACH OF CHILDREN

OXIDIZING MATERIAL. CONTACT WITH HEAT, MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE. WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES. STORE IN A COOL DRY PLACE. KEEP AWAY FROM HEAT OR OPEN FLAME.

Avoid contact with skin and eyes. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be harmful if swallowed. May cause eye irritation. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

**ANTIDOTE:** Call a physician.

**EXTERNAL:** For skin and eyes, immediately flood with large amounts of water.

**INTERNAL:** Take large amounts of milk, followed by olive oil or cook

WARN

June-28-1973 5185-116

ACT

INEP

June 28-1973 5185-116



OF CHILDREN

CT WITH HEAT  
ATERIALS MAY  
N WITH THE  
G AND HAZ-  
A COOL DRY  
HEAT OR OPEN

d eyes. Avoid  
E INTERNALLY!  
May cause eye  
of food. Rinse  
with water and

n.  
yes, immediate-  
arge amounts of  
mounts of milk,  
live oil or cook-

**ACTIVE INGREDIENT:**  
Sodium dichloro-s-triazinetriene ..... 30.00%

**INERT INGREDIENTS:**  
Disodium phosphate, Sodium sulfate  
Monosodium phosphate ..... 70.00%  
Available Chlorine 16.00%

**TOTAL INGREDIENTS 100.00%**

**WARNING** KEEP OUT OF REACH OF CHILDREN  
See other precautions on side panel

**DIRECTIONS**

**EGG SANITIZING:** For use as a final sanitizing spray after washing eggs, prepare a spray solution by adding one ounce BIO-SHIELD CL-600 per 14 gallons of water. Maintain temperature of 110-130 degrees F.

**GENERAL SANITIZATION:** Use on walls, floors, tables, sinks and any furnishings not damaged by water. Prepare a solution containing 1 ounce of BIO-SHIELD CL-600 per 7 gallons of water. Apply in a wetting concentration. Rinse any treated food contact surfaces with potable water before reuse.

**FOOD PROCESSING AND BEVERAGE EQUIPMENT:** For sanitizing equipment that has been previously cleaned, use a solution containing one ounce of BIO-SHIELD CL-600 per 14 gallons of water. Apply in a wetting concentration. Where local or state ordinances are in effect, follow the required procedure.

Manufactured By:  
**BIO-LAB, INC.**  
P. O. BOX 1439  
DECATUR, GEORGIA 30011

NET WEIGHT