


FRONT PANEL



**ACCEPTED**  
 MAR 2 1967  
 UNLESS OTHERWISE SPECIFIED  
 FUNGICIDE AND FERTILIZER ACT  
 FOR ECONOMIC PURPOSES. REGULATED  
 UNDER NO. 5185-117 SUBJECT  
 TO ATTACHED COMMENTS.

ACTIVE INGREDIENTS:

TRICHLORO-S-TRIAZINETRIONE  
 (AVAILABLE CHLORINE - 63.14%)

70.00%

INERT INGREDIENTS:

30.00%

TOTAL .

100.00%

CAUTION 14 POINT  
 KEEP OUT OF REACH OF CHILDREN 10 POINT  
 SEE ADDITIONAL WARNINGS ON SIDE PANEL 10 POINT

XERO COPY XERO COPY XERO COPY XERO COPY

## SIDE PANEL

WHEN USED AS DIRECTED THIS PRODUCT IS EFFECTIVE AS A POOL WATER DISINFECTING AGENT.

THE FILTER SYSTEM SHOULD BE BACKWASHED OR PROPERLY CLEANED AND THE PH ADJUSTED BETWEEN 7.4 AND 7.6.

IT IS RECOMMENDED THAT THE POOL BE STABILIZED WITH 40-50 PPM TRIHYDROXY TRIAZINE TO NULLIFY THE DISSIPATION EFFECT OF SUN-LIGHT ON CHLORINE. WHEN USING THIS PRODUCT, BOTH CHLORINE AND TRIHYDROXY TRIAZINE ARE BEING ADDED TO THE WATER, HOWEVER, IT IS NECESSARY TO INITIALLY STABILIZE POOLS WITH 40-50 PPM OF TRIHYDROXY TRIAZINE TO EFFECTIVELY MAINTAIN THE DESIRED CONCENTRATION OF STABILIZER.

### DIRECTIONS

USE 4 OUNCES OF POOL CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER AS AN INITIAL TREATMENT. REPEAT DAILY AS NEEDED OR UNTIL A RESIDUAL OF 1.0 TO 3.0 PPMS OF RESIDUAL CHLORINE IS ESTABLISHED. FOR MAINTAINING 1.0 TO 3.0 PPMS RESIDUAL CHLORINE, AN AVERAGE OF 2-3 OUNCES OF POOL CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER DAILY MAY BE SUFFICIENT. THE FINAL DEMAND FOR CHLORINE IS TO BE ESTABLISHED BY USE OF A TEST KIT AND INITIAL OR DAILY TREATMENT ADJUSTED ACCORDINGLY.

THE USE OF A QUATERNARY AMMONIUM TYPE ALGICIDE WILL COMPLEMENT THIS TOTAL PROGRAM OF SWIMMING POOL MAINTENANCE.

IF A NEED FOR SUPERCHLORINATION IS INDICATED, USE 1 POUND OF THIS CONCENTRATE PER 10,000 GALLONS OF WATER.



**ANTIDOTE:** Call a physician.

**EXTERNAL:** For skin and eyes, immediately flood with large amounts of water.

**INTERNAL:** Take large amounts of milk, followed by olive oil or cooking oil.

**KEEP OUT OF THE REACH OF CHILDREN**

**WARNING!** OXIDIZING MATERIAL. CONTACT WITH HEAT, MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE. WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES.

Store in a cool dry place. Keep away from heat or open flame. Avoid contact with skin and eyes. Avoid breathing dust. **DO NOT TAKE INTERNALLY!**


MAR-4-1967

5185-7

U.S.D.A. REG. NO. 5185-

NET WEIGHT:

FRONT PANEL



**ACCEPTED**  
 MAR 4 1967  
 UNITED STATES DEPARTMENT OF AGRICULTURE  
 FOR ECONOMIC ANALYSIS AND LABELING  
 UNDER P.L. 85-625  
 TO ATTACHED DOCUMENTS

ACTIVE INGREDIENTS:	70.00%
TRICHLORO-S-TRIAZINETRIONE (AVAILABLE CHLORINE - 63.14%)	
INERT INGREDIENTS:	30.00%
TOTAL	100.00%

CAUTION  
 KEEP OUT OF REACH OF CHILDREN  
 SEE ADDITIONAL WARNINGS ON SIDE PANEL

14 POINT  
 10 POINT  
 10 POINT

