

FRONT PANEL

BIO-KLEEN CHLORINATED DETERGENT-SANITIZER 380

ACTIVE INGREDIENTS:

SODIUM CARBONATE, 42.5%; SODIUM METASILICATE, 30.0%;  
SODIUM DICHLORO-S-TRIAZINETRIONE, 6.5%.

TOTAL ACTIVE INGREDIENTS 79.0%

INERT INGREDIENTS:\*

21.0%

\*INCLUDES WETTING AND WATER SOFTENING AGENTS.

DIRECTIONS

FOR WASHING EGGS: BEFORE WASHING EGGS, CLEAN MACHINE THOROUGHLY, ESPECIALLY IF THERE IS A RESIDUE OF DRIED DETERGENT AND SCUM. FOR THIS PURPOSE, USE 2 OUNCES OF BIO-KLEEN PER GALLON OF WATER.

FOR BASKET TYPE WASHERS: USE 1 OUNCE PER 3 GALLONS WATER. MAINTAIN WATER TEMPERATURE AT 105° - 115° F. DO NOT WASH MORE THAN 10 DOZEN EGGS PER GALLON OF SOLUTION OR CHANGE WATER AFTER WASHING 5 BASKETS OF EGGS. CHANGE SOLUTION WHEN SOILED OR DETERGENCY DETERIORATES.

FOR AUTOMATIC CONVEYOR OR SYSTEMIZED EGG WASHING: MAINTAIN WATER TEMPERATURE BETWEEN 105° AND 115° F. USE 1 OUNCE BIO-KLEEN PER 3 GALLONS WATER AS AN INITIAL CHARGE. ADD ONE THIRD OF THE INITIAL TREATMENT APPROXIMATELY EVERY 30 MINUTES OF OPERATION. THIS WILL VARY WITH THE SOILAGE CONDITION OF THE EGGS AND LOCAL WATER CHEMISTRY. ADJUST THE AMOUNT OF RETREATMENT TO ASSURE PROPER DETERGENCY AND PREFERRED LEVEL OF AVAILABLE CHLORINE. USE A CHLORINE TEST KIT TO MAINTAIN A MINIMUM OF 50 PPM AVAILABLE CHLORINE IN WASH WATER.

MAINTAIN WATER IN RINSE TANK 5° F. WARMER THAN WASH WATER. USE 1 OUNCE BIO-KLEEN PER 3 GALLONS WATER IN RINSE TANK.

CLEAN EQUIPMENT AFTER EACH USAGE. USE A SOLUTION OF 1 OUNCE OF BIO-KLEEN PER GALLON OF WATER.

FOR GENERAL CLEANING AND DISINFECTING: FOR USE AS A GENERAL CLEANER AND DISINFECTANT FOR DAIRY OPERATIONS, FOOD PROCESSING PLANTS, REFRIGERATED TRUCKS, ETC.

FIRST REMOVE SURFACE SOILS BY FLUSHING WITH ADEQUATE AMOUNTS OF WATER. DISSOLVE ONE TO TWO OUNCES OF BIO-KLEEN PER GALLON OF WATER AS A CLEANING AND SANITIZING SOLUTION. SCRUB VIGOROUSLY TO REMOVE SOILS, THEN FLUSH CLEANED AREAS WITH COPIOUS AMOUNTS OF CLEAR WATER.

ACCEPTED

APR 17 1967

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 5185-121 SUBJECT  
TO ATTACHED COMMENTS.

5185-121

FRONT PANEL (CONTD.)

BIO-KLEEN CHLORINATED DETERGENT-SANITIZER 380

FOR DISINFECTION OF PROPERLY PRECLEANED NON-POROUS SURFACES, DISSOLVE TWO OUNCES OF BIO-KLEEN PER GALLON OF WATER AND APPLY TO PRECLEANED AREAS IN A WETTING CONCENTRATION. FOR DISINFECTION OF PROPERLY PRECLEANED POROUS SURFACES, DISSOLVE THREE OUNCES OF BIO-KLEEN PER GALLON OF WATER.

CAUTION! AVOID CONTACT WITH FOOD OR FOOD PRODUCTS. AVOID GETTING THE CONCENTRATE IN EYES OR ON SKIN. IN CASE OF CONTACT, WASH THOROUGHLY WITH WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. HARMFUL IF SWALLOWED. AVOID INHALATION OF VAPORS.

KEEP OUT OF REACH OF CHILDREN

USDA REG. NO. 5185-

NET CONTENTS:

MANUFACTURED BY:  
BIO-LAB, INC.  
DECATUR, GEORGIA

FRONT PANEL (CONT)

BIO-KLEEN CHLORINATED DETERG

FOR DISINFECTION OF PROPERLY PREPARED SURFACES  
DISSOLVE TWO OUNCES OF BIO-KLEEN IN ONE GALLON OF WATER  
APPLY TO PRECLEANED AREAS IN A MIST OR SPRAY  
DISINFECTION OF PROPERLY PRECLEANED SURFACES  
THREE OUNCES OF BIO-KLEEN PER GALLON OF WATER

CAUTION! AVOID CONTACT WITH FACE AND SKIN  
GETTING THE CONCENTRATE IN EYES OR ON SKIN  
CONTACT, WASH THOROUGHLY WITH WATER  
GET MEDICAL ATTENTION. HARMFUL BY INHALATION  
HALATION OF VAPORS.

KEEP OUT OF REACH OF CHILDREN

USDA REG. NO. 5185-

MANUFACTURED BY  
BIO-LAB, INC.  
DECATUR, GA