


FRONT PANEL



ACCEPTED

JUL 3 1 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. **5185-126** SUBJECT
TO ATTACHED COMMENTS.

5185-126

WARNING
KEEP OUT OF THE REACH OF CHILDREN
See side panel for additional precautions

ACTIVE INGREDIENT:

**[(MONOTRICHORO)-TETRA-(MONOPOTASSIUM DICHLORO)]
PENTA-ISOCYANURATE**

100%

(AVAILABLE CHLORINE - 66.6%)

BACK PANEL

BIO-GUARD 66
CHLORINE CONCENTRATE

WHEN USED AS DIRECTED THIS PRODUCT IS EFFECTIVE AS A POOL WATER DISINFECTING AGENT.

THE FILTER SYSTEM SHOULD BE BACKWASHED OR PROPERLY CLEANED AND THE PH ADJUSTED BETWEEN 7.2 AND 7.6.

IT IS RECOMMENDED THAT THE POOL BE STABILIZED WITH 50-60 PPMS TRIHYDROXY TRIAZINE TO NULLIFY THE DISSIPATION EFFECT OF SUNLIGHT ON CHLORINE. WHEN USING THIS PRODUCT, BOTH CHLORINE AND TRIHYDROXY TRIAZINE ARE BEING ADDED TO THE WATER, HOWEVER, IT IS NECESSARY TO INITIALLY STABILIZE POOLS WITH 50-60 PPMS OF TRIHYDROXY TRIAZINE TO EFFECTIVELY MAINTAIN THE DESIRED CONCENTRATION OF STABILIZER.

DIRECTIONS

USE 4 OUNCES OF POOL CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER AS AN INITIAL TREATMENT. REPEAT DAILY UNTIL A RESIDUAL OF 1.0 TO 3.0 PPMS OF AVAILABLE CHLORINE IS ESTABLISHED. THE REGULAR USE OF A TEST KIT WILL DETERMINE THE AMOUNT OF CHLORINE NECESSARY FOR MAINTAINING 1.0 TO 3.0 PPMS. AN AVERAGE IS 2-3 OUNCES OF THIS CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER DAILY. THE FINAL DEMAND FOR CHLORINE IS TO BE ESTABLISHED THROUGH USE OF A TEST KIT AND DAILY TREATMENT ADJUSTED ACCORDINGLY.

THE USE OF A QUATERNARY AMMONIUM TYPE ALGICIDE WILL COMPLEMENT THIS TOTAL PROGRAM OF SWIMMING POOL MAINTENANCE.

IF A NEED FOR SUPERCHLORINATION IS INDICATED, USE 1 POUND OF THIS CONCENTRATE PER 10,000 GALLONS OF WATER.

U.S.D.A. REG. NO. 5185-

NET WEIGHT

XERO COPY

XERO COPY

XERO COPY

XERO COPY

(SIDE PANEL)

BIO-GUARD 66
CHLORINE CONCENTRATE



POISON



ANTIDOTE: CALL A PHYSICIAN.

EXTERNAL: FOR SKIN AND EYES, IMMEDIATELY FLOOD WITH LARGE AMOUNTS OF WATER.

INTERNAL: TAKE LARGE AMOUNTS OF MILK, FOLLOWED BY OLIVE OIL OR COOKING OIL.


WARNING: IRRITATING TO SKIN AND EYES. STRONG OXIDIZING MATERIAL. CONTACT WITH HEAT, MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE. WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES. STORE IN A COOL DRY PLACE. KEEP AWAY FROM HEAT OR OPEN FLAME. AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING DUST. DO NOT TAKE INTERNALLY!

In the event of spillage, flush with liberal amounts of water. To dispose of empty containers, replace cap tightly before placing in dry refuse or trash containers. Do not burn empty containers in residential incinerators.

KEEP OUT OF REACH OF CHILDREN

12 POINT

FRONT PANEL



ACCEPTED

JUL 8 1 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTE-
RED UNDER NO. 5185-126 SUBJECT
TO ATTACHED COMMENTS.

5185-126

WARNING

KEEP OUT OF THE REACH OF CHILDREN
See side panel for additional precautions

ACTIVE INGREDIENT:

[(MONOTRICHORO)-TETRA-(MONOPOTASSIUM DICHLORO)]
PENTA-ISOCYANURATE 100%

(AVAILABLE CHLORINE - 66.6%)

7

BACK PANEL

BIO-GUARD 66
CHLORINE CONCENTRATE

WHEN USED AS DIRECTED THIS PRODUCT IS EFFECTIVE AS A POOL WATER DISINFECTING AGENT.

THE FILTER SYSTEM SHOULD BE BACKWASHED OR PROPERLY CLEANED AND THE PH ADJUSTED BETWEEN 7.2 AND 7.6.

IT IS RECOMMENDED THAT THE POOL BE STABILIZED WITH 50-60 PPHS TRIHYDROXY TRIAZINE TO NULLIFY THE DISSIPATION EFFECT OF SUNLIGHT ON CHLORINE. WHEN USING THIS PRODUCT, BOTH CHLORINE AND TRIHYDROXY TRIAZINE ARE BEING ADDED TO THE WATER, HOWEVER, IT IS NECESSARY TO INITIALLY STABILIZE POOLS WITH 50-60 PPHS OF TRIHYDROXY TRIAZINE TO EFFECTIVELY MAINTAIN THE DESIRED CONCENTRATION OF STABILIZER.

DIRECTIONS

USE 4 OUNCES OF POOL CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER AS AN INITIAL TREATMENT. REPEAT DAILY UNTIL A RESIDUAL OF 1.0 TO 3.0 PPHS OF AVAILABLE CHLORINE IS ESTABLISHED. THE REGULAR USE OF A TEST KIT WILL DETERMINE THE AMOUNT OF CHLORINE NECESSARY FOR MAINTAINING 1.0 TO 3.0 PPHS. AN AVERAGE IS 2-3 OUNCES OF THIS CHLORINE CONCENTRATE PER 10,000 GALLONS OF WATER DAILY. THE FINAL DEMAND FOR CHLORINE IS TO BE ESTABLISHED THROUGH USE OF A TEST KIT AND DAILY TREATMENT ADJUSTED ACCORDINGLY.

THE USE OF A QUATERNARY AMMONIUM TYPE ALGICIDE WILL COMPLEMENT THIS TOTAL PROGRAM OF SWIMMING POOL MAINTENANCE.

IF A NEED FOR SUPERCHLORINATION IS INDICATED, USE 1 POUND OF THIS CONCENTRATE PER 10,000 GALLONS OF WATER.

U.S.D.A. REG. NO. 5185-

NET WEIGHT

(SIDE PANEL)

BIO-GUARD 66
CHLORINE CONCENTRATE



ANTIDOTE: CALL A PHYSICIAN.

EXTERNAL: FOR SKIN AND EYES, IMMEDIATELY FLOOD WITH LARGE AMOUNTS OF WATER.

INTERNAL: TAKE LARGE AMOUNTS OF MILK, FOLLOWED BY OLIVE OIL OR COOKING OIL.

WARNING: IRRITATING TO SKIN AND EYES. STRONG OXIDIZING MATERIAL. CONTACT WITH HEAT, MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE. WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES. STORE IN A COOL DRY PLACE. KEEP AWAY FROM HEAT OR OPEN FLAME. AVOID CONTACT WITH SKIN AND EYES. AVOID BREATHING DUST. DO NOT TAKE INTERNALLY!

In the event of spillage, flush with liberal amounts of water. To dispose of empty containers, replace cap tightly before placing in dry refuse or trash containers. Do not burn empty containers in residential incinerators.

KEEP OUT OF REACH OF CHILDREN

12 POINT