OCI 24 1984

Bio Lab Technical Services Department P.O. Box 1489 Decatur, GA 30031

Gentlemen:

Subject: Tabgard

EPA Registration No. 5185-144

Your Submission Dated October 2, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Castillo

Product Manager (32) Disinfectants Branch

Registration Division (TS-767C)

Enclosure

RD-33:DCR-50038:OLaird:kes:10/16/84:Kendrick & Co.-898-1270:Del.10/25/84

CONCURRENCES							
SYMUOL >							
SURNAME							
DATE		 			T		- -
EPA Form 1320-1	(4-81)				<u> </u>	OFF	CIAL FILE COPY

HARL

.....

BIOGUARD•

TABGUARD*

Chlorinating Tablets

KEEP OUT OF REACH OF CHILDREN

DANGER

(See practical treatment and additional precautions on back panel)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 24 1984

Manufactured By:

BIO-LAB, INC. Decatur, Georgia 30031 USA Under the Federal Insecticide, Fungicide, and Rodenticide Acts as amended, for the pesticide registered under EPA Reg. No.

Net Weight: Lbs. (_kg.)

Lach Tablet Weighs 1/2 03.

For use with Chlor-Trol Model 1200 and most other FLOW through or soak type chlorinators. Also fits many popular floaters.

60.

, ...

BioGuard® TabGuard® chlorinating tablets are effective as a pool water disinfecting agent when used as directed. The pool should be stabilized with 30-40 ppm trihydroxy triazine stabilizer to reduce chlorine loss due to sunlight. When using this product, both chlorine and stabilizer are being added to the water. This helps maintain the desired concentration of stabilizer.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6. Before using this product, it is recommended that the pool be super chlorinated so that a chlorine residual of between 1.0 and 3.0 ppm is obtained.

)

Tablets should be used in various types of proportioning mechanisms such as chlorinators and floaters. Fill unit with tablets and adjust the feeding system used to assure a constant treatment level of 1.0 - 3.0 ppm available chlorine in the pool water, normally 1-2 ounces (2 to 4 tablets) of this product per 10,000 gallons daily.

The regular use of an accurate test kit will determine if further adjustments may be necessary to maintain the recommended level of available chlorine in the pool water. Check chlorinator often and refill as needed.

Tablets are not recommended for use in skimmers or chlorinators with metal plumbing.

المنخزام

STORAGE AND DISPOSAL: Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal.

PRACTICAL TREATMENT (FIRST AID)

If swallowed: Feed bread soaked in milk followed by olive oil or cooking

oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for

at least 15 minutes. If irritation persists, get medical

attention.

)

If in eyes: Flush with cold water for at least 15 minutes and get prompt

medical attention.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust or fumes. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS-STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, on other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. In cases of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

EPA Reg. No. 5185-144 EPA Reg. No. 5185-GA-2 gil?