


# kleepool


**SWIMMING POOL WATER  
TREATMENT PROGRAM**

*60 Minus*

## ORGANIC CHLORINE CONCENTRATE

<b>ACTIVE INGREDIENTS (available chlorine 60%)</b>	
Trichloro s triazinetone .....	66.52%
<b>INERT INGREDIENTS</b> .....	33.48%
Total ingredients ...	100.00%

E.P.A. REG. NO. 5185-158

BIO-LAB, INC. / DECATUR, GA.

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
(See first aid statement & other precautions on back panel)

**ACCEPTED**

JUL 19 1974

UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTRY  
 LD UNDER NO. 5185-158

5185-158

When used as directed, this product is effective as a pool water disinfecting agent. The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

**DIRECTIONS**

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add more of the chlorine concentrate to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average is 2-3 ounces of this product per 10,000 gallons of water daily.

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes eye damage. May cause burns on moist or broken skin. Do not get in eyes, on skin or on clothing. Protect eyes when handling. Dust may be irritating or harmful if inhaled. Avoid breathing dust. Maybe fatal or harmful if swallowed. Wash hands thoroughly after handling.

**FIRST AID:**

**EXTERNAL:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get medical attention.

**INTERNAL:** Feed bread soaked in milk, followed by olive oil or cooking oil.

**DANGER:** Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame. Rinse empty container thoroughly with water and discard it.

NET CONTENTS: 20 LBS.

E.P.A. Est. No. 5185-GA-2

OCC

# kleerpool



SWIMMING POOL  
TREATMENT PRO

*60 Minus*  
**ORGANIC CHLORINE CONCENTRATE**

ACTIVE INGREDIENTS (available chlorine 60%)

Trichloro-s-triazinetrione

66.52%

INERT INGREDIENTS

33.48%

Total Ingredients

100.00%

E.P.A. REG. NO. 5185-158

BIO-LAB, INC. / DECATUR, GA.

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
(See first aid statement & other precautions on back)

A  
UNDE  
FUNG  
FOR  
ED U

When used as directed, this product is effective as a pool water disinfecting agent

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

### DIRECTIONS

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add more of the chlorine concentrate to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average is 2-3 ounces of this product per 10,000 gallons of water daily.

### DANGER

#### KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. May cause burns on moist or broken skin. Do not get in eyes, on skin or on clothing. Protect eyes when handling. Dust may be irritating or harmful if inhaled. Avoid breathing dust. May be fatal or harmful if swallowed. Wash hands thoroughly after handling.

#### FIRST AID:

**EXTERNAL:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get medical attention.

**INTERNAL:** Feed bread soaked in milk, followed by oil or oil cooking.

**DANGER:** Oxidizing material. Contact with heat, moisture or flammable material may cause fire. Will burn with the evolution of irritating and hazardous gases. Do not store near flammable materials. Keep away from heat or open flame. Rinse empty container thoroughly and discard it.

NET CONTENTS: 20 LBS.

E.P.A. Est. No. 5185 GA. 2

600