

Kleer
POOL

SWIMMING POOL WATER
TREATMENT PROGRAM

USDA REG. NO. 5185-160

NET WEIGHT: 1.5 LBS.

**CHLORINATED
STABILIZER**

40-10

BY THE FERTILIZER INSTITUTE
REGISTERED TRADEMARK OF THE FERTILIZER INSTITUTE

ACTIVE INGREDIENT: Sodium dichloro-s-triazinetrione.....	34.0%
INERT INGREDIENTS:*	66.0%
TOTAL.....	100.0%

*Includes trihydroxytriazine (chlorine stabilizer)

WARNING KEEP OUT OF REACH OF CHILDREN

See other warnings on back panel

ACCEPTED

This product is formulated as an initial chemical treatment for swimming pool water. When used as directed, it supplies adequate available chlorine to satisfy the initial demand in pool water from plant purification sources, and also supplies 40 parts per million of Trihydroxytriazine (chlorine stabilizer). This product has been formulated to provide a neutral pH, thereby not affecting the pH of the pool water.

DIRECTIONS

Establish the filter system before adding this product to the pool. Establish a pool water pH of between 7.4 and 7.6. For 40 ppm of stabilizer, use one container (1.5 lbs.) per 4,000 gallons of pool water. Broadcast directly into the pool, scattering over the surface of the water. For pools with plastic recirculating piping, this product may be conveniently added through the skimmer. Maintain pool water circulation continuously.

When the chemical reaches the filter system, there may be a temporary increase in filter pressure, which will disappear as the chemical is dissolved. Do not backwash the filter for 24 hours after application of this chemical.

There will be an initial high chlorine reading and the pool should not be used until residual chlorine is at a normal level of 1.0 to 3.0 parts per million. Test pool water frequently with a suitable chlorine test kit.

Subsequent treatment with a suitable chlorine concentrate should be initiated. Follow directions on that label for disinfecting pool water. Do not reuse container. Destroy when empty.

USDA REG. NO. 5185-160



POISON



NET WEIGHT: 1.5 LBS.

Antidote: Call a physician.

External: For skin and eyes, immediately flood with large amounts of water.

Internal: Take large amounts of milk, followed by olive oil or cooking oil.

WARNING: Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases.

Store in a cool dry place. Keep away from heat and open flame. Harmful if swallowed. Do not get in eyes or on skin. Avoid breathing dust. DO NOT TAKE INTERNALLY!

Camerman's Note

Poor Copy

1/30/71
1/30/71
 SWIMMING POOL WATER
 TREATMENT PROGRAM
 USDA REG. NO. 5185-160 NET WEIGHT: 1.5 LBS.
**CHLORINATED
 STABILIZER
 40-10**

ACCEPTED
 FEB 8 - 1971
 U.S. FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PESTS REGISTERED
 UNDER NCES 274.30001
 NO ATTACHED COMMENTS

ACTIVE INGREDIENT: Sodium dichloro-s-triazine.....	34.0%
INERT INGREDIENTS:*	65.0%
TOTAL.....	100.0%

*Includes trihydroxytriazine (chlorine stabilizer)

WARNING KEEP OUT OF REACH OF CHILDREN See other warnings on back panel

BEST DOCUMENT AVAILABLE

9

This product is a stabilizer-chlorine product for swimming pool water. When used as directed, it supplies available chlorine to satisfy the initial demand in pool water from plant purification systems, and also supplies a residual of Tetrachloroethylene (chlorine stabilizer). This product has been formulated to provide a neutral pH, thereby not affecting the pH of the pool water.

HOW TO USE

Fill your filter system with this product to the pool. Use with a pool water pH of between 7.4 and 7.6. For 40 gallons of stabilizer, use one gallon (1.5 lbs.) per 4,000 gallons of pool water. Pour directly into the pool, treating over the surface of the water. For pools with plastic circulating piping, this product may be conveniently added through the skimmer. Maintain pool circulation continuously.

When the chemical reaches the filter system, there may be a temporary increase in filter pressure, which will drop as the chemical is dissolved. Do not backwash the filter for 24 hours after application of this chemical.

There will be an initial high chlorine reading and the pool should not be used until residual chlorine is at a normal level of 1.0 to 3.0 parts per million. Test pool water frequently with a suitable chlorine test kit.

Subsequent treatment with a suitable chlorine concentrate should be initiated. Follow directions on the label for disinfecting pool water. Do not reuse container. Destroy when empty.

USDA REG. NO. 5185-160



TOXIC

NET WEIGHT: 1.5 LBS.

Antidote: Call a physician.

External: For skin and eyes, immediately flush with large amounts of water.

Internal: Take large amounts of milk, followed by olive oil or cooking oil.

WARNING: Contains chlorine. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame. Harmful if swallowed. Do not get in eyes or on skin. Avoid breathing dust. DO NOT TAKE INTERNALLY.

10

BEST DOCUMENT AVAILABLE