




SUPPLEMENTAL LABELING FOR BIO-GUARD 1-15 DISINFECTANT
EPA Reg. No. 5185-170

When applied as directed to precleaned hard, non-porous surfaces this disinfectant also kills the following organisms at 2½ ounces per gallon;

- Streptococcus pyogenes
- Enterobacter aerogenes
- Escherichia coli
- Shigella sonnei
- Candida albicans



RECORDED
SEP 08 1982
U.S. DEPARTMENT OF AGRICULTURE
or apply for the pesticide
registered under
EPA Reg. No. 5185-170

Technical Services Department
Bio-Lab Inc.
Post Office Box 1489, Decatur, GA 30031
(404) 378-1753, TWX 810-751-3318

E

BIO-GUARD L-15 DISINFECTANT

LEMON ODOR-DISINFECTANT- DEODORANT-CLEANER

***Kills Pseudomonas, Salmonella and
Staphylococcus.
Virucidal

ACTIVE INGREDIENTS

Alkal(C 55 C 26 C 14

dimethyl benzyl ammonium chloride

4.00

INERT INGREDIENTS

96.00

TOTAL INGREDIENTS

100.00

This product is effective against Pseudomonas aeruginosa, Salmonella

choleraesuis, Staphylococcus aureus, and other bacteria.

It is also effective against many viruses.

For more information, contact Bio-Lab, Inc., Decatur, Georgia 30031.

Keep out of reach of children. See additional precautions on side panel.

KEEP OUT OF REACH OF CHILDREN WARNING

(See additional precautions on side panel)

PRACTICAL TREATMENT (FIRST AID): In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink plenty of water and plenty of milk. Do not induce vomiting unless these are not available and a large quantity of water is available. Call a physician immediately.

Manufactured by
Bio-Lab, Inc.
Decatur, Georgia 30031

EPA Reg. No. 512-170
EPA Est. No. 5185-1A-1

NET CONTENTS: 1 U.S. Gallon

This product is a disinfectant and deodorant. It is effective against a wide variety of gram-negative and gram-positive bacteria, including Pseudomonas aeruginosa, Staphylococcus aureus, and Salmonella choleraesuis. It is also effective against many viruses. For more information, contact Bio-Lab, Inc., Decatur, Georgia 30031.

CLEANING

To clean and Deodorize or to Preclean Prior to Disinfection. Depending on the size of the area to be cleaned, use 5 to 10 oz. of THIS PRODUCT per gallon of water (1 part to 31.63 parts water).

DISINFECTING

Hospitals, Veterinary Clinics, Nursing Homes, and Other Medically related uses: Use 5 oz. of THIS PRODUCT per 1 1/2 gallons of water (1 part to 39 parts water) for one-step cleaning and disinfection of areas with light to medium soil loads. For heavily soiled areas, pre-clean as described above and then disinfect with THIS PRODUCT at 2 1/2 oz. per gallon (1 part to 50 parts water).

Schools, Industrial areas, Homes, Barber shops, Restrooms, Restaurants, Food and Meat Processing Plants (non-food processing areas), Public rooms, Other Non-Medical uses: Pre-clean surfaces. Then disinfect with a solution of 2 oz. of THIS PRODUCT in 1 1/2 gallons of water (1 part to 67 parts water). Alternatively, clean and disinfect in one operation using 5 oz. of THIS PRODUCT per 1 1/2 gallons of water (1 part to 33 parts water).

For deodorizing garbage cans, garbage trucks, industrial waste receptacles, and garbage handling equipment, it is especially important to pre-clean for the product to perform properly. Then apply a wetting concentration of 8 oz. of THIS PRODUCT per gallon of water (1 part to 15 parts water).

For mildew control: Follow directions for hospital disinfection. Repeat treatment every seven days, or when new growth appears.

THIS PRODUCT may be used through automatic floor scrubber equipment.

This DISINFECTANT has not been tested for effectiveness against *Mycobacterium tuberculosis* and must not be relied upon when tuberculocidal activity is intended.

THIS PRODUCT must not be used on food contact surfaces.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

ACCEPTED
SEP 08 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 512-170

.....
.....
.....
.....
.....